

In This Issue:

- 1: View from the Dome
- 2: Radionics Frequently Asked Questions
- 3: Coming Soon: *The Replicator*
- 6: Radionics Case Study: Part 1 - Replicator Balancing
- 9: Radionics Case Study: Part 2 - ACES Worksheet
- 10: The Colon
- 12: Julie's Meat Fix-All

BONUS: The ACES Worksheet



View from the Dome

Each of us has the power to manifest real physical change in our lives through the application of focused intent of our minds. There are many ways to apply this focus. We can write down our goals, then develop the specific plans that will turn dreams into reality. We can spend time visualizing a future reality with crystal clarity and incredible detail. We can plan the routes that we wish to take, identifying the experiences and additional education that will be needed to reach our goals. We can literally speak it into being: pray for it, talk about it with others, sing it to the universe. In each of these methods, the time spent with the human mind focused on a possible future reality serves to channel energy to that possible outcome.

How is this possible? The **information delivered through the focused intent of the human mind rings like a gong into the virtual particle flux** that drives the heart of every atom, adding a degree of order to an otherwise random system of vibration and energy. This order increases the likelihood that the future reality we desire will be the one that comes to pass and tips the scales in our direction.

However, this does not mean that the universe will begin to grant our wishes like a genie out of a bottle. In fact, **the universe usually responds by opening doors and granting opportunities**, the vast majority of which will then require at least a little - and often quite a lot - of time and effort be expended before we fully realize the future realities that we seek. A great example in my life came a couple years ago when a friend of mine was looking to move into a particular neighborhood so she could live close to family, but was effectively priced out of the available properties. We spent quite a bit of time working on it, exploring options and possibilities. All at once an affordable building lot came into existence when a pair of adjacent properties in the neighborhood were split into four smaller lots by the owner. And then she was offered a free house, a cottage that needed to be moved from its old location to make way for new construction. Of course, moving the house required a new foundation and many other expenses to tie in the plumbing and electrical services. But at the end of the project she moved into her free house on a piece of property that was so new in the universe that it did not even have an address. Not only was it located in the area she desired, and the total of all costs was still tens of thousands of dollars cheaper than any of the available homes.

And sometimes your wish will simply be granted! Recently while preparing to travel to a radionics class, I found myself thinking that if my suitcase were just a few inches larger in each direction it would be just perfect for my needs, rather than being something of a struggle to get closed each time. After returning from a great trip, it was a few days before I got back into our little pick-up truck. And when I did, I was flabbergasted to find a new suitcase sitting in the passenger seat, one that was just like my old one... except a little larger. I later found out that my sister-in-law had given a bag she no longer needed to my wife the day before. Coincidence? Luck? Who cares! From my perspective **the universe delivered unto me the gift** of a great new suitcase just days after I asked for it.

Both of these examples illustrate a key factor in the manifestation process. We can speak our dreams to the universe, but **we can almost never command the exact pathway by which the future reality will be manifest.** This is why wishing to win the lottery never works, since that requires a very specific action from a specific set of ping pong balls at a specific point in time. Success is far more likely if we focus instead on the real outcomes that lottery winnings would deliver, like owning a new car or having the opportunity to travel, as there are countless pathways that the universe can take to make these happen. Last but not least, **never** forget to include some variation on the idea "thine will be done, no harm to anyone" to our programming. None of us wants to get that new car because the old one was destroyed when we were involved in a major traffic accident!

Have fun changing your life through focused intent!

Radionics: Frequently Asked Questions

By popular demand, we continue our effort to demystify radionics one question at a time!

How were the radionic rates developed? Have they been verified or tested?

Radionic rates are the unique waveforms associated with known patterns of information-as-energy, the subtle energy fields that act as the blueprints for the physical universe.

The very first rates were experimentally developed by Dr. Albert Abrams, the father of radionics. Dr. Abrams was Director of Clinical Care at Stanford University, a fellow of the American Medical Association and was regarded as one of the foremost neurologists of the early 1900's. At the time, one of the most common forms of diagnosis was percussive resonance of a patient's abdomen, which would yield either a drum-like sound or a dull thud in response to the doctor's tapping. Ordinarily this type of examination, which is still taught in today's medical schools, was used to identify a tumor or other mass in the underlying tissue. However, in one case, Abrams heard the dull thudding indicating an abdominal mass even though the cancer was actually on the patient's lip.

Dr. Abrams theorized that the lip cancer was transmitting its unique signature thudding sound to the usual location in the abdomen. Interested to further test the ability of the cancer to transmit its signature, he performed a revolutionary experiment, during which he discovered that a specimen of a cancer in a container could be held in close proximity to a healthy patient and yield the same dull thud he had originally found when the cancer was found on the patient's lip.

In an age when the newest marvel – electricity – was on everyone's minds, it was not surprising that Dr. Abrams would then perform an experiment in which a six-foot-long (approximately 2 meter) length of wire with an electrode was attached to the forehead of a volunteer on whom he would perform the percussion, while the other end of the wire was alternately held near and away from a specimen of cancer by an assistant. The volunteer's abdomen was audibly drum-like and dully thudding in turn for the assembled witnesses as the wire was moved near and away from the cancer specimen.

Through extensive, methodical research with samples of a variety of diseases, Dr. Abrams was able to identify specific areas of the abdomen where the dull sound would manifest. However it was not until there was a perfect overlap between two completely different diseases – cancer and syphilis – that it occurred to him to introduce a variable resistor to the circuit, where he found that the dull thudding response was only present at specific measurements of resistance on the dial. And these two measurements, cancer at 50 ohms and syphilis at 55 ohms, were the very first radionic rates.

Dr. Abrams would spend many years experimentally identifying the combinations of measured resistances and zones of the abdomen where percussion would yield the familiar dull thudding sound in the presence of specific diseases. Eventually he would publish this information in what would be the world's first book of radionic rates – *The Atlas*. He would continue to make both technical and theoretical advancements from the original resistance measurement device, even publishing the seemingly outlandish observation that "thought yields an energy".*

Many more pioneers have worked to advance every aspect of this technology, each generating new radionic rates, including the many rates identified by George and Marjorie de la Warr for their devices, T. Galen Hieronymus' *Eloptic Medical Directory* and our own Peter Kelly's *Psychotronics: Book II*. Eventually sensitive, easy-to-use radionic instruments would become widely available for reasonable prices, leading to an avalanche of scanning and experimentation by individuals conducting radionic investigation in every aspect of life. The new edition of the *KRT Electronic Rate Book* will contain more than 13,000 radionic rates from every source we have ever found, from the recently contributed rate to accelerate dry-down of corn in the silo to one of the most frequently discussed rates of all: "General Vitality" (9.00-49.00) which comes to us directly from the experimental research of Dr. Albert Abrams.

* Please see Edward W. Russell's classic book *Report on Radionics*, which was our source for information on the work of Dr. Abrams.

Kelly Research Report is published by Kelly Research Technologies, Post Office Box 128, 121 Oasis Road, Lakemont, Georgia, 30552. EDITOR-IN-CHIEF: Ed Kelly. *Kelly Research Report* is published quarterly. Copyright in the United States. Reproduction in whole or in part is forbidden unless written permission has been granted by the publisher. Annual subscription rate is \$25.00 in North America, \$40.00 (U.S. Dollars) else where. Single copies and back issues are \$5.00 each. Correspondence and subscription requests should be sent to *Kelly Research Report* at the above address. Expiration date for a subscription is shown in brackets following the subscriber's name on the address label. Publication of this newsletter in no way constitutes a claim that psychotronic, radionic or scalar technology devices are effective in the treatment of disease or other human ailments. These devices are designed to be used for personal research and/or agricultural purposes only. We are not in the business of treating people and/or teaching to people to treat people. Persons with mental or physical illnesses should be referred to qualified medical practitioners licensed by federal, state or local agencies, as applicable. The publisher assumes no responsibility for the accuracy, efficacy or effects of material presented here or material submitted by readers. This material represents research that is being passed on for enlightenment of others who are following, or wish to follow, similar paths. www.kellyresearchtech.com



Coming soon!

THE REPLICATOR

An Experimental Electronic Potentizer



Key Features Include:

- Stand-Alone Potentizing and Imprinting
- In-Phase and Reverse-Phase Operation
- Variable and/or Stacked Levels of Potency
- Operation as an Anapathic Purifier
- Operation as a Simplified Radionic Broadcaster
- Electromagnetic coil clearing
- Input and Output Options Maximize Flexibility
- Includes standard helical coil reaction plate/antenna

Available for shipment on June 15, 2010!

THE REPLICATOR (pre-orders now accepted).....\$675.00
 (after June 15).....\$775.00

Potentizing and Imprinting:

The Replicator is a stand-alone radionic imprinting device that captures and infuses in-phase and reverse phase energetic frequency information into the substrates of choice at varying and/or stacked levels of potency. A variety of input and output options allow instant integration with samples and information from every possible modality.

Under the hood, The Replicator is a streamlined version of a **Kelly Personal instrument** and an **Electronic Potentizer** built into a single case.

The Replicator has the same flexibility as a Kelly Personal Instrument with regards to input flexibility. Energetic waveforms emanating from witnesses, samples and reagents are captured by the spiral coil input well, while external input ports allow introduction of a variety of electronic and signal information, including:

- Direct input from soil or plant probes
- Scalar waveforms from another radionic instrument
- Frequencies from a bench-top signal generator
- Frequencies, music and other output from a computer
- Recorded music, tones and specialized frequencies delivered by tape, compact disk or mp3 player



Simply stated, *if it can be put in a well or transmitted through a wire, The Replicator can capture its subtle energy signature, amplify it and imprint it into a substrate.*

Information is transformed into a state of physical resonance by a single bank of plate capacitors – the tuning forks of the system. Unlike the variable rate capacitors used in a typical Kelly Personal instrument, these have been permanently fixed to the “0.00-100.00” rate, the setting used to capture, amplify and broadcast the energetic properties of a witness, sample or reagent without additional frequency modulation. A rheostat is used to control strength of potency.

This information is then amplified through a radio coil located inside a .999 pure sheet silver Sephorah geomantic energy multiplier followed by a solid state transistor amplifier. A second solid state amplifier allows phase reversal of the resultant scalar output (not shown).

The output signal is then delivered to a spiral coil imprinting well, as well as to auxiliary output ports for use with auxiliary imprinting wells, soil probes, and a reaction plate/antenna, either helical coil or phase array, for use in dowsing for appropriate levels of potentization. **A standard helical coil reaction plate/antenna is included with every Replicator** for this purpose.



Visible pre-wiring, the single bank of plate capacitor tuners, silver Sephorah radio coil and solid state amplifier. Yellow circles show approx. location of input and output wells.



Reverse Phase Anapathic Purification

When set for “reverse phase” operation, **The Replicator** operates identically to the **Kelly Experimental Anapathic Purifier**, a specialized radionic instrument designed to reduce the energetic strength of contaminants found in wells, tanks, silos, barns and places where animals live.

Simply place a witness for the well, tank, barn, field or organic system in The Replicator’s input well and a sample or witness for whatever is to be removed in the output well. The instrument’s second solid state amplifier phase **reverses the signal captured and broadcasts a mirror image of the scalar waveform back to the witness** – a cancellation wave that will reduce the energetic strength of the targeted material. The impact of these broadcasts will be intensified when The Replicator is used in conjunction with either the included standard helical coil reaction plate/antenna or an optional phase array antenna.

With careful attention to broadcast times, the unit may also be used to carry out broad based energetic purification. Samples of feed, seed, and water - whatever the contents of the farm’s wells, tanks, bins and silos – can be placed in the output well for broadcast of a comprehensive signal reduction waveform. While the energetic strength of positive and negative properties will be simultaneously reduced, relatively smaller levels of **contaminants will typically be pushed below the energetic kindling point** well before degrading the properties of the primary substance.

While The Replicator does not come bundled with a Large Well like the Anapathic Purifier, the flexibility of the unit’s input and output options allow optional Large Wells to be added to either the input *or* the output sides of the process for the first time.

If it can be put in a well or transmitted through a wire, The Replicator can capture its subtle energy signature, amplify it, reverse it and broadcast it back to the witness during “Reverse Phase” operation.

In-Phase Radionic Broadcasting

When set for “in phase” operation, **The Replicator** operates identically to a **Kelly Personal Instrument** whose banks have been set to the “0.00-100.00” position. The device is thus ideal for broadcast the energetic signatures of reagents, supplements and signal information back to the soil, plants or other organic systems represented by the witness in the input well.

Examples of some elements that could be broadcast in this way include:

- Soil supplements, additives, and nutrients
- Herbal compounds & essential oils
- Homeopathic potencies/remedies
- Colors and light
- Gems and Minerals
- Any signal information, including frequencies, tones and/or music

If it can be put in a well or transmitted through a wire, The Replicator can capture its subtle energy signature, amplify it and broadcast it back to the witness during “In Phase” operation.



RADIONICS CASE STUDY – “GRAMPS”

Part 1: Replicator Balancing

The following is an example of a real-world case study that was conducted with “Gramps”, an eight-pound cat that we adopted last fall after he was rescued by a local veterinary clinic. He is estimated to be between 14 and 16 years old – literally long in the tooth. Gramps suffers from recurring nasal infections due to extensive damage to the mucus membranes of his interconnected ear, nose and throat passageways, presumably an outcome of his living in the wild for an unknown period of time.



OBJECTIVE: The primary goal of Part 1 of the study was to **conduct a quick energetic balance** of this animal using radionics. A secondary objective was to **utilize the Reverse Phase broadcast capabilities of the Replicator**, which would allow the animal’s own nasal discharge to act as an anti-reagent to any disharmonious energetic conditions. This work was conducted under the on-site supervision of Gramps’ primary veterinarian.

SET UP: The **Replicator** was connected to a **Kelly Personal Instrument**, with leads connecting the blue jacks on the Personal Instrument (marked either “Reaction Plate” or “Output”) to the matching blue jacks on the Replicator (marked “Aux In”). This configuration allowed **easy checking of radionic rates** during all analysis operations. An instant photo of Gramps served as the witness. This was placed in the input well of the personal instrument.



A **56 Phase Array Antenna (7 plate)** was connected to the Replicator’s “Aux Out” jacks for use in all dowsing, as well as to **boost overall broadcast effectiveness**. A desktop collection of reagents was also available for use.

Quick Scan Mini-Analysis

Step 1: **Appropriateness of the overall project was tested** with a photo of Gramps in the input well of the Personal Instrument, Bank 1 turned on and set to “100.00-0.00”, all amplifiers turned off, and the question phrased, *“Is it appropriate to begin this balancing project, thine will be done, no harm to anyone?”* A strong stick was detected on the reaction plate, indicating a solid “Yes”.

Step 2: **The energetic state of the animal was analyzed** in several categories in order to generate a baseline of information and expose any relevant trends. The first two, General Vitality (9.00-49.00) and Reserve Energy (11.00-100.00) were selected analytically. The rest were selected by quickly dowsing for reactions from the “conditions” section of the animal analysis chart as follows:

The photo witness was in the input well of the Personal Instrument, Bank 1 turned on and set to “0.00-100.00”. All amplifiers were turned off. A finger on the left hand slowly scanned down the list of condition names while rubbing for a stick on the reaction plate and phrasing the following question:

“Which energetic conditions are most significantly impacting Gramps at this time?”

When a strong stick was detected, that condition was noted. The intensities of all noted conditions were then analyzed in turn by setting each rate on Bank 1 and taking a reading with the Intensity dial and the reaction plate/antenna. **The result was a mini-analysis of 10 key rates.** The same 10 rates were rechecked during the middle of the balancing program, then again at the end, in order to assess impact.

Reverse Phase Replicator Broadcasts

The secondary goal of the project was to test the impact of the Replicator when utilizing the Reverse Phase Broadcast Mode and the animal's own nasal discharge as an anti-reagent. When placed in this mode, the Replicator captures the subtle energy signatures of whatever samples are placed in the Output well of the unit, then generates a cancellation wave for those signatures by reversing them into an out of phase mode through a secondary amplifier. This neutralizing wave is automatically broadcast back to whatever witness is in the Input well of either the Replicator or a connected Kelly Personal Instrument. For Gramps, this would mean that **the disharmonious energetic patterns of any viruses, toxins, allergens or other poisons found in the nasal discharge could be neutralized simultaneously** without the usual time consuming process of seeking to detect all of them individually through the course of a complete radionic analysis.



Step 1: The photo witness was placed in the input well of the Personal Instrument, A sample of nasal discharge was captured from Gramps on a tissue, placed in a new zip lock baggie and placed in the Output well of the Replicator.

Step 2: Bank 1 turned on and set to "0.00-100.00". The amplifier on the Personal Instrument was activated, then the Phase switch on the Replicator was set to "Reverse". Reagents were added and/or subtracted at this time based on a stick on the reaction plate in response to the question, *"Will this reagent benefit this broadcast at this time, thine will be done, no harm to anyone?"*

Step 3: With both instruments activated as described above, the Replicator's potency dial was then slowly turned while testing for a stick on the reaction plate. As soon as a strong stick was found, the dial was left at that setting. A balancing time was then dowsed by rubbing on the reaction plate while asking questions like *"Is the balancing time greater than five minutes, thine will be done, no harm to anyone? Is it six minutes... seven minutes... eight minutes..."* and so on until a stick was achieved on the plate. The resultant time was set on an egg timer.

Step 4: At the end of the specified time the Replicator was turned off and the potency dial reset to zero. On the Personal Instrument, the amplifier was turned off, all reagents were removed from the Input well, Bank 1 was set to General Vitality (9.00-49.00) and a quick recheck of this rate.

Step 5: Asked the question, "Should this project continue?" while rubbing the reaction plate. A strong stick for "yes" was always detected.

Step 6: Repeated Step 1 through Step 5. A higher position on the Replicator Potency dial was indicated with each repetition of the process, as without fail the Potency dial would no longer register a stick at the previous setting.

RESULTS:

Reverse Phase Replicator Broadcasts

This table summarizes the specific settings, times and reagents used with the Replicator.

Broadcast	Potency Dial Setting	Time (minutes)	Reagents	New GV
1	3c	4	<i>none</i>	375
2	6c	3	<i>none</i>	335
3	12c	6	Epson salts, manganese, sea salt, silica, tap water	350
4	200c	4	Manganese, sea salt, silica, tap water	440
5	M	8	<i>same as above</i>	445
6	10M	13	Rain water, sea salt, silica, tap water	500
7	LM	13	<i>same as above</i>	555
8	CM	15	Rain water, sea salt, tap water	610
9	MM	14	<i>same as above</i>	600
10	10MM	14	<i>same as above</i>	625
Total Time:		94		

Mini-Analysis Comparison

Objective:	Overall energetic balancing using nasal discharge as an anti-reagent.			
Description	Rate	Before 1 st Broadcast	After Broadcast 5	After Broadcast 10
Appropriateness	100.00-0.00	YES	YES	YES
General Vitality	9.00-49.00	375	445	625
Reserve Energy	11.00-100.00	265	290	400
Virus	2.00-100.00	420	320	225
Parasites	19.00-100.00	340	230	75
Toxins	20.00-100.00	280	400	275
Staph	35.00-100.00	300	200	100
Congestion	40.00-100.00	370	315	100
Fungus	45.00-100.00	370	320	150
Toxicity	53.00-100.00	250	240	120
Fungus	85.00-100.00	400	320	130

Comparison of the three mini-analyses revealed positive results in all areas, with increases in both General Vitality and Reserve Energy. Energetic patterns of conditions were consistently decreased in all areas except for one: "Toxins", where the intensity actually spiked upward at the middle broadcast, then dropped back down to the starting point at the end. A stubborn condition that does not respond to general balancing points us toward "the cause behind the cause" – the next step that our radionic research should take. In this case, difficulty dispelling toxins might be resolved with a tune up to the systems that manage the flow of energy through a living system, as found on the "ACES" worksheet.

The ACES worksheet was first introduced as a quick, easy-to-use process for tuning up the energy handling capabilities of a living energy system. The chakra are the pathways by which the universal energy enters the system, then the aura radiates that energy outward. The "elimination" systems are responsible for capture and/or disposal of unwanted and waste energy patterns. A living energy system operates better and more smoothly when these fundamental process are operating well. Energetic balancing in these areas better prepares and equips the living system to take care of itself.

RADIONICS CASE STUDY – “GRAMPS”

Part 2 – The ACES Worksheet: Aura + Chakra + Elimination + Support

Item	Radionic Rate	Initial Reading	Reading #2	Reading #3	Reagents Used
Appropriateness	100.00-0.00	YES	YES		
General Vitality (GV)	9.00-49.00	625	650	650	
AURA					
<i>Aura Coordination should equal GV. Aura Distortion should be no greater than 1/10 of Aura Coordination. Balance on rate(s) for recommended time(s) as needed.</i>					
Aura Coordination	37.00-22.00	400	490		
Aura Distortion	43.00-28.00	100	0		
Auric Bodies					
<i>Dowse “yes/no” for need of balancing of Auric Bodies. If “yes”, check intensity for each Auric Body. For any Auric Body out of balance with GV, set Auric Body rate on Bank 1, Aura Distortion rate on Bank 2, broadcast for recommended time</i>					
Yes/No?	100.00-0.00	NO	YES		
Celestial/Causal	17.50-58.00		605		
Mental	48.00-27.00		430	620	
Astral III	68.00-37.00		425	640	
Astral II	87.00-69.00		520	650	
Astral I	25.00-47.00		410	660	
Etheric	49.00-57.00		525	650	
Physical	68.00-49.00		415	620	
CHAKRA					
<i>All should equal GV. Broadcast on rate(s) for recommended time(s) to increase.</i>					
Crown	36.00-56.00	500	600		
Brow	10.00-60.00	430	575	625	
Throat	28.00-37.00	510	610		
Heart	60.00-66.00	425	560	640	
Solar Plexus	67.00-16.00	585	610		
Sacrum	66.00-22.00	560	600		
Base	66.00-56.00	540	615		
ELIMINATION ORGANS					
<i>All should equal GV. Broadcast on rate(s) for recommended time(s) to increase.</i>					
Kidneys	3.00-82.00	480	560	655	
Spleen	4.00-95.00	540	590		
Colon	8.00-72.00	580	615		
Liver	17.00-29.00	600			
Lungs	92.00-83.00	450	570	650	
Skin	0.00-99.00	515	630		
SUPPORTING FUNCTIONS					
<i>Dehydration should be below 50. All others should equal GV. Broadcast on rates for recommended times.</i>					
Dehydration	62.30-54.50	260	25		
Water Mechanism	14.75-91.25	390	480	600	
Alkalinity	26.00-41.00	520	605		
Acidity	34.00-84.00	560	605		
Pituitary	6.00-87.00	320	520	635	
Adrenals	3.00-9.00	370	550	650	

CONCLUSION: At the end of this case study Gramps was indicating a strong General Vitality, a balanced energy handling system and a reduction in negative energy patterns.

FOLLOW UP: After a period of five to seven days to allow natural energetic equilibration to take place, a recheck of the mini-analysis rates will allow identification of those negative frequencies that have continued to drop versus those that hold steady or begin to climb once again. The latter category will once again point us toward the “cause behind the cause”, the ultimate objective of any effort to permanently improve the energetic state of a living organism.

THE COLON


It is essential that a healthy colon be maintained if the animals on the farm or homestead are also going to be healthy. Special Supplement #15 in the classic radionics volume *Psychotronics: Book III* references the report *Life Begins in the Colon*, which summarizes the dangers of alimentary toxemia discussed by a panel of 57 of Britain's leading surgeons, physicians and specialists before the Royal Society of Medicine in London. The list of poisons, ailments and other problems that could be generated by an unhealthy colon ran longer than three pages. The following summary encapsulates these ideas:

In the face of such an array of evidence backed up by authority of nearly 60 eminent English physicians – and many hundreds of other English, U.S., German and French physicians whose names might be added – it is no longer possible to ignore the importance of alimentary toxemia or auto-intoxication as a fact in the production of disease. To no other single cause is it possible to attribute one-tenth as many various and widely diverse disorders. It may be said that almost every chronic disease known is directly or indirectly due to the influence of bacterial poisons absorbed from the intestine. The colon may be justly looked upon as a veritable Pandora's Box, out of which comes more human misery and suffering – mental and moral, as well as physical – than from any other known source.

The colon is a sewage system, but by neglect and abuse it becomes a cesspool. When it is clean and normal we are well and happy; let it stagnate and it will distill the poisons of decay, fermentation and putrefaction in the blood, poisoning the brain and nervous system so that we become mentally depressed and irritable. It will poison the heart so that we are weak and listless; poison the lungs so that the breath is foul; poison the blood so that the skin is sallow and unhealthy. In short, every organ of the body is poisoned and we age prematurely, look and feel old. The joints are stiff and painful; neuritis, dull eyes, and a sluggish brain overtake us and the pleasure of living is gone.

While the above quote was written in the context of human health, the same principles apply to every animal that is equipped with a digestive system due to the fact that the part of the colon are virtually identical whether the subject is a snake, a bird or a cow. (Diagrams of shark, cat and human digestive systems illustrate this concept at right.) For this reason, the radionic rates used to analyze and balance the colon are largely universal across the animal kingdom.

Of course, the radionic rates provided here are intended for energetic analysis and balancing of animals only. Human beings with colon health issues should contact a licensed physician or otherwise comply with the laws and regulations of their area.



COLON AND RELATED RATES

Organ or System

Name	Analysis Rate(s)	Balancing Rate(s)
Appendix	0.00-66.00, 3.00-8.00	3.00-8.00
Colon Vitality + Colon Wall	8.00-72.00	same
Colon, Ascending	0.00-8.00	xx-08.00
Colon, Descending	0.00-90.00, 0.00-62.00	xx-90.00, xx-62.00
Colon, Diverticulum	0.00-75.00	xx-75.00
Colon, Hepatic Flexure	0.00-78.00	xx-78.00
Colon, Motor Center in Brain	0.00-30.00	xx-30.00
Colon, Rectum	0.00-96.00, 8.50-90.00, 50.00-12.00	xx-96.00, 8.50-90.00, 50.00-12.00
Colon, Sigmoid Flexure	0.00-12.00	xx-12.00
Colon, Splenic Flexure	0.00-80.00	xx-80.00
Colon, Transverse, Cecum	0.00-60.00	xx-60.00
Illeocecal Valve	21.00-69.00	same
Intestines, Small	0.00-82.00, 0.00-32.00, 9.00-72.00	xx-82.00, xx-32.00, 9.00-72.00

Process:

1. Use **Analysis Rates** to check the energetic strengths of each section of the colon, as measured on the intensity dial. All elements should be within 50 points of overall General Vitality (9.00-49.00).
2. Use **Balancing Rates** to restore energetic balance to areas of the colon as needed. Whenever "xx" is noted, scan on the left hand dial for specific energetic conditions that might be troubling that area of the colon. Do not forget to check for multiple conditions when scanning!

Colonic Conditions

Name	Rate(s)	Name	Rate(s)
Anemia	50.00-xx	Gastroenteritis	62.50-7.50
Bacillus (B coli)	62.00-xx, 20.00-62.00	Gravel/Dry Stool	13.00-90.00
Blockages, Colonic	12.00-38.00, 82.00-38.00	Hemorrhoids	20.00-96.00, 20.00-15.00
Calcification	7.00-xx	Hypertonicity	22.00-xx
Carcinoma	30.00-xx, 30.00-90.00	Hypotonicity	77.00-xx
Chron's Disease	40.50-32.00	Inflammation	55.00-xx
Coliosepsis	75.00-xx, 6.00-44.00, 44.00-6.00	Necrosis (Dead Tissue)	54.00-xx: Analysis only – do not broadcast!
Conditions, Colonic	39.00-xx, 23.00-xx	Parasites	19.00-xx (see below)
Congestions	40.00-xx	Polio	3.00-xx, 14.00-xx, 82.00-xx
Diphtheria	5.00-xx, 5.00-100.00, 2.50-37.00	Regional Ileitus	40.50-32.00
Diverticulitis	75.00-xx, 75.00-75.00	Scar Tissue	13.00-xx
Fatty Tumor	87.00-xx	Staph	20.00-xx, 34.00-xx
Fibroid Tumor	90.00-xx	Stinging/Burning	24.50-xx
Fibrosis	81.00-xx	Strep	15.00-xx, 60.00-xx
Flatulence	20.00-62.00, 62.00-38.00	Toxins or Toxicity	44.00-xx, 53.00-xx
Flu	33.50-xx, 38.00-xx	Tuberculosis	42.00-xx
Food Poisoning	47.00-xx, 47.00-13.00	Ulceration	8.00-xx

Process:

1. With the exception of "Necrosis", these rates may be used to analyze *and* balance. Substitute "0.00" for "xx" during analysis, where applicable. All intensities should measure below 100. Balance conditions found with intensities higher than 100, scanning for locations whenever "xx" is cited.
2. Conditions found in specific parts of the colon may also be targeted by setting radionic instrument with colon organ or system rate on one bank, condition rate(s) on second and/or third bank(s).

Common Parasites

Name	Rate(s)	Name	Rate(s)
Amebiasis (Amoeba)	23.00-xx	Oriental Sore	4.00-22.50
American Leishmaniasis	12.00-83.00	Schistosomiasis (Blood Flukes)	28.00-95.00
Ascariasis (Roundworm)	34.00-89.00	Sparganosis	89.00-95.00
Dracunculiasis	45.00-39.00	Strongyloidiasis (Threadworm)	65.00-21.00
Enterobiasis (Pinworm)	36.00-16.00	Tapeworm, Beef	75.00-65.00
Filariasis	45.00-38.00	Tapeworm, Dwarf	3.00-73.00
Flukes, Hepatic (Liver)	53.00-7.00	Tapeworm, Fish	57.00-53.00
Flukes, Intestinal	24.00-54.00	Tapeworm, Pork	25.00-88.00
Flukes, Pulmonary (Lung)	64.00-45.00	Toxocariasis	34.00-84.00
Giardiasis	95.00-89.00	Toxoplasmosis	90.00-37.00
Hookworm	2.00-100.00	Trichinosis	90.00-37.00
Kalaazar	4.00-25.00	Trichuriasis (Whipworm)	87.00-12.00
Loiasis	59.00-39.00	Trypanosomiasis	82.00-63.00
Malaria	4.00-78.00		

Process:

1. Check for parasites using general analysis rates: 19.00-100.00 and/or 86.00-4.00.
2. Scan the listing above for presence of energetic signature of any specific parasites, noting intensities larger than 100.
3. Broadcast on the analysis rate for no more than 90 seconds, then recheck intensity:
 - If parasite intensity has *decreased*, turn amp on and check for additional broadcast time on the intensity dial. Balance as indicated.
 - If parasite intensity has *increased*, transpose rates between left and right hand dials (ie: if Malaria = 4.00-78.00, transposed rate = 78.00-4.00) turn amp on and check for additional broadcast time on the intensity dial. Balance as indicated.
4. At the end of balancing broadcast, recheck intensity. Remember to reverse any transposed rates back to normal positions before rechecking parasite intensity.
5. These rates are specific to the adult parasites. As such, the process may have to be repeated daily to catch multiple generations of parasites until all eggs have been hatched.

Reagents

The following reagents have been found to be effective in balancing of colonic conditions and/or parasites.

Aspirin	Cedar Heartwood	Garlic Oil
Aureomycin	Cedar Oil	Iodine Tincture
Bile Salts	Chlorophyll	Mistletoe Tincture
Cavious Herbs	Dewormer, Commercial	Sodium Thiosulfate

Process:

1. Set up radionic instrument for balancing broadcast, then check intensity of organ, condition or parasite.
2. Add first possible reagent to the input well.
3. Recheck intensity of organ, condition or parasite. If intensity moves in the desired direction (that is, increasing for organs, decreasing for conditions or parasites), reagent is suitable for the broadcast.
4. Repeat the above step with each additional reagent under consideration.
5. Turn amplifier on and check for overall broadcast time on the intensity dial. Broadcast accordingly.

Julie's Meat Fix-All

The following procedure was submitted by an experienced radionic researcher for use in balancing of meat prior to cooking and consumption in order to dispel negative energy patterns associated with fear, trauma and/or suffering in slaughterhouse. Be sure to complete each balancing step before moving on to next item.

1. Place packaged meat on reaction plate/antenna.
2. Balance on: Emotion – Psychological & Mental Shock (80.00-43.00)
3. Balance on: Herb – Bach Rescue Remedy (31.50-26.40)
4. Balance on: Violet Flame of Purification (two bank rate: 38.50-49.00 + 47.75-65.50).