

In This Issue:

- 1: View from the Dome
- 2: The Black Beacon
- 3: New: BETAR Vibroacoustic - Master Edition
Reports from the Field
- 4: Metals and Toxicity
- 5: Environmental and Chemical Sensitivities
- 7: Environmental Sensitivity Worksheet
- 9: 2011 Planting Calendar
- 10: 2011 Calendar of Indications
- 10: Upcoming Training Opportunities
- 11: BETAR Emitter – RELAX
- 12: BETAR Emitter – SLEEP



View from the Dome

Happy holidays everyone!

Are you still searching for the perfect holiday gifts for friends or loved ones? What if I told you that you can **give the gift of peace of mind** for the year to come and beyond? Or **give the gift of deep, restful sleep** to someone who currently tosses and turns the nights away? Now its possible with KRT's BETAR Mood Tone emitters!

Designed by KRT founder Peter J. Kelly in 1983, the first pocket-sized RELAX Mood Tone emitter – the “ELF I” was the output of his collaboration with Extreme Low Frequency (ELF) pioneer Dr. Andrija Puharich. The emitter was groundbreaking for its use of a dual-spin coil antenna to create the low frequency sound and scalar waves that resonate the user's physical and energetic bodies – the same coil antenna design found in all KRT radionic instruments. Since then KRT has been delivering BETAR Mood Tone Emitters - **wakeful relaxation with the flip of a switch**. The Earth Tone waveform produced by these units provides a soothing background hum that encourages the brain to settle into a serene low alpha brainwave state, hushing the kind of agitated thinking that can keep us irritated and unfocused.

You'll want a BETAR RELAX Mood Tone emitter if you **spend a lot of time behind the wheel** of a vehicle or tractor, so you can let the hours slip away in a state of wakeful relaxation. This feature is so popular that “Home & Roam” Edition emitters come equipped with power adapters for both the house/office and the car. For example, this summer we had a family visit our open house event, driving all the way from Iowa to participate. Afterwards they were planning to drive to the coast to see the Atlantic Ocean, then turn around and drive all the way back to Iowa. They were a little skeptical when I urged them to take a Mood Tone emitter with them, finally giving in when I refused to accept any payment. I told them, “You've already driven hundreds of miles to get here. Now finish the trip with the emitter in the car. When you get back home if you don't want to keep it just mail it back. If you like it, send us a check.” Within the week a check arrived!



Brand new at KRT, a Mood Tone emitter configured to deliver the **BETAR SLEEP Tone** – a sound wave that is even lower and slower than the RELAX Tone. The SLEEP Tone emitter is calibrated to 4 cycles per second, in the zone between the dream world of the theta state and the **deep sleep where real rest and healing take place** – the delta state. It can also help reduce the number of times you wake in the night by helping the brain to remain in a steady state of equilibrium.

Invest in contentment with a BETAR Mood Tone Emitter! You and your loved ones deserve the ability to RELAX and SLEEP. Even at full price these emitters are a tremendous value when compared with the money spent combating the effects of stress, tension and sleep deficiency, but right now we're offering **deep holiday discounts** to encourage everyone to give them a try. And just like our friends from Iowa, **you have nothing to risk** but the price of return postage when you order a BETAR Mood Tone emitter. If you are not 100% satisfied simply send it back undamaged within 30 days for a prompt, no-hassle refund.

From all of us at KRT, please accept our most sincere wishes for happy holidays and a healthy, prosperous 2011!

PS: **Do you currently own a BETAR sound therapy system?** Please drop us a note if you would like to be included in our online directory of BETAR systems and services at the all new BETAR website at: www.betar.com!

THE BLACK BEACON: A Limited Edition Kelly Analyzer



The Beacon is a workhorse of a radionic instrument that comes equipped with a factory-installed phase array antenna and the spool-style moebius secondary antenna that was

originally developed for The Workstation. **The Black Beacon** has all the same features and capabilities in a distinctive, durable black cabinet:

- **Standard:** **Three banks** of parallel plate capacitors that generate analog scalar wavelengths as accurate as the sensitivity of the operator.
- **Standard:** Large, **easy-to-read rate dial** markings increase accuracy and user effectiveness.
- **Standard:** Cutting-edge silver Sephorah
- Geomantic signal multiplier **increases program effectiveness** in the face of fluctuating/fading global magnetic fields.
- **Standard:** The same large spool-style **moebius coil antenna** that drives the Large Agricultural Workstation.
- **Standard:** Built-in 10 Hour Timer **eliminates danger of over-broadcasting.**
- **Standard:** Flexible external input panel allow easy addition of a secondary grounding cable, a large sample well, an electronic potentizer and/or an external frequency/signal generator.



SPECIAL OFFER: **Free upgrade** from the standard integrated 32 Phase Array Antenna (4 plates) to a 48 Phase Array Antenna (6 plates) – **a \$165 value!** Add a second external Phase Array Antenna using the auxiliary input connectors found on the front of the instrument.

SPECIAL OFFER: **Free with purchase** – one BETAR RELAX Mood Tone emitter, sized perfectly to fit in the input well of The Black Beacon – **a \$99 value.** There's simply no easier way to add the power of the 7.83 hertz Schumann Earth Resonance Frequency to your radionic broadcasts! Or take the RELAX Mood Tone emitter with you and enjoy wakeful relaxation wherever you go.

THE BLACK BEACON: A KELLY AGRICULTURAL RADIONIC ANALYZER.....\$3,475.00

This is a limited edition offer! Only five Black Beacons will be produced in 2010-2011!

Kelly Research Report is published by Kelly Research Technologies, Post Office Box 128, 121 Oasis Road, Lakemont, Georgia, 30552. EDITOR-IN-CHIEF: Ed Kelly. *Kelly Research Report* is published quarterly. Copyright in the United States. Reproduction in whole or in part is forbidden unless written permission has been granted by the publisher. Annual subscription rate is \$25.00 in North America, \$40.00 (U.S. Dollars) else where. Single copies and back issues are \$5.00 each. Correspondence and subscription requests should be sent to *Kelly Research Report* at the above address. Expiration date for a subscription is shown in brackets following the subscriber's name on the address label. Publication of this newsletter in no way constitutes a claim that psychotronic, radionic or scalar technology devices are effective in the treatment of disease or other human ailments. These devices are designed to be used for personal research and/or agricultural purposes only. We are not in the business of treating people and/or teaching to treat people to treat people. Persons with mental or physical illnesses should be referred to qualified medical practitioners licensed by federal, state or local agencies. The publisher assumes no responsibility for the accuracy, efficacy or effects of material presented here or material submitted by readers. This material represents research that is being passed on for enlightenment of others who are following, or wish to follow, similar paths.

www.kellyresearchtech.com

New Installation: BETAR Vibroacoustic - Master Edition

We are proud to announce the installation of a brand new **Master Edition System** in Naples, Florida at the offices of VAHRT - VibroAcoustic Harmonic Resonance Therapy. The VAHRT Master Edition System lies at the heart of a beautiful purple room that was specifically designed to amplify the flow of energy through the space and the rider. It is definitely a powerful healing space! During the installation **deep emotions began to well up inside me every time I lay down on the cushion**, which was very distracting since I was working on calibrating the speaker balance at that time.



The VAHRT Master Edition is an experience you will not want to miss! Schedule a ride today at:

VAHRT
3784 Progress Avenue, Suite 104
Naples, Florida 34104 USA

Web: www.vahrt.com
e-mail: vhart@comcast.net
Phone: 239-774-1890

Reports from the Field

Results and discoveries from your community of radionic researchers

Ed,

Here is an experiment that you may find of interest...

After reading about how hexagonal structures affect space, time, gravity etc. I decided to do a little experiment, so I got some beeswax foundation. This stuff is made from 100% beeswax (a dialectic) is about 8x17 inches and is imprinted with hexagons. They use it as a foundation for the honeybees to build their combs.

This stuff is cool. I don't know if it is the material or design or a combination. But here is a cool experiment...

Take a sheet of it and wrap it around the input well. It is even better if you put a layer of steel over it to make a single ply orgone accumulator, but just the beeswax will get you some cool results.

So far I find it increases the power of the broadcast. That is the good news. On the other hand, it also has a tendency to detoxify whatever you have in the well, so it doesn't work for analysis.

Marty

Ed

Here's one for you: ringworm. Does not show up under pathogens but ask for molds and it shows. Can infiltrate whole body, brain to toes. Can weigh pounds and pounds of weight. Can be born with it. To get rid of it I use radionic rates: After checking intensity (strength of disease) broadcast 45.50 - 23.00 and 71.00 - 51.50 on two banks for up to an hour.

After you kill extensive ring worm, you have to get rid of all the cell debris (dead cells). You have to get rid of all the cellular debris from the die off. You can do this by balancing on 2 Banks for as long as necessary.:

28.25 - 39.00

40.00 - 29.50

Ionic foot baths also help detoxification plus remove cell debris.

Regards,

Doc Tom

Note: "Reports from the Field" is presented as a forum to discuss independent radionic research. KRT is not responsible for any ideas expressed. Radionics is to be used for agricultural research only and is not for use with human beings. *If you need medical or mental health care please visit a licensed professional.*

Metals and Toxicity

Metals, metals, everywhere!

Eat, breathe, drink - you can't escape invisible metals. Metals are ubiquitous, metals are everywhere - except, perhaps, where you might reasonably expect them to be - in food, for instance.

Eat a healthy looking salad - modern agriculture deprives you of the minerals which should be in it. Eat the same vegetables frozen - chemical washing by the packaging industry removes even the surface minerals deposited by rain water. Conversely, deodorize your armpits or brush your teeth - the wonders of modern technology allow you to receive a hidden dose of unneeded toxic chemicals. Drink a glass of water and you will absorb poisonous metals from both the water and the plastic cup. An overindulgence in mineral-deficient food may cause stomach discomfort, but a dose of toxic metal-laden antacid will do more than you bargained for! Dental caries from your diet of over-processed junk food? Chances are that the dental amalgam used to fill the caries will leak poison directly into your mouth for the next 20 years!

Are you feeling shaken now? Have a cup of coffee and a cigarette to soothe your shattered nerves - they both contain yet more toxic metal.

Members of the health professions are becoming increasingly aware of the vital role that toxic metals play in the clinical arena and there is a rapidly growing body of scientific literature to substantiate the fact that there is a considerable cause for concern. Astute practitioners from the fields of homeopathy, psychiatry, endocrinology, gerontology, nutrition, podiatry, dentistry, pharmacy, acupuncture and chiropractic, as well as those in basic and clinical research, are beginning to focus on the metal issue as perhaps the single most important and neglected area of investigation today. They are finding that metal is the factor linking an incredible wide spectrum of pathological, psychological, emotional and clinical findings.


Excess aluminum levels are implicated as a possible cause of Alzheimer's disease, as a particular hazard to patients on renal dialysis, and as a cause of certain neurological changes.

Mercury, probably the most toxic metal in our environment, produces a wide variety of symptoms and organic damage depending on the type and length of exposure. Psychological, gastrointestinal, cardiovascular, neurological, respiratory, immunologic, and endocrine changes have all been observed as a result of elemental exposure to mercury. The onset of symptoms following chronic exposure to mercury is insidious and may take from several weeks to years. Organic mercury poisoning may appear within two months after a single heavy exposure with the same wide range of symptoms as exposure to elemental mercury.

Conversely, zinc deficiency studied in pregnant rats can, it appears, result in difficult deliveries and severe behavioral abnormalities in both mother and baby. In human beings it is demonstrated that abnormal deliveries are more coming in zinc-deficient mothers, with the major abnormalities being premature labor or postpartum.

The list of metals involved is extensive and horrifying. It seems that those metals which are essential for normal function have been systematically removed from our diet and we are bombarded with doses of non-essential and toxic metals instead.

Homeopathic physicians of the 19th century were well aware of the illnesses caused by overdrugging and toxic exposures. Many of the symptoms produced by homeopathic remedies in present use come from carefully recorded poisonings. Symptom pictures caused by quinine, medicinal arsenic, and mercury compounds are referred to often by authors writing in the 1800s.



Reprinted from *Interdimensional News: Vol 1, No 4.*

Environmental and Chemical Sensitivity

In recent years there has been an increase in the number of people displaying heightened sensitivity to environmental factors, experiencing allergic reactions to chemicals and metals that range in severity from minor irritations to life threatening crises. Symptoms described by environmental medicine specialists include negative health effects in multiple organ systems, noting that respiratory distress, seizures, cognitive dysfunction, heart arrhythmia, nausea, headache, and fatigue can result from exposure to levels of common chemicals that are normally deemed safe.

While some sensitivities are easy to identify, in many cases the source of the problems may be very difficult to identify or isolate. This is illustrated by the fact that environmental sensitivity is described in so many ways; it is also called multiple chemical sensitivity, chemical intolerance, environmental hypersensitivity, environmental illness, toxicant-induced loss of tolerance, and idiopathic environmental intolerance.



Specific Factors

The rise of the modern era has seen an explosion in the number and prevalence of powerful metals, chemicals and chemical-based products in every aspect of our daily lives. We use powerful cleaning supplies, solvents and detergents on a regular basis. Our gasoline is fortified with performance enhancing carcinogens like benzene that are released as vapors at the pump and out our tailpipes on the road. Our foods can include residual pesticides, herbicides and fertilizers, while chemicals can leach out of the plastic containers in which they are stored. Our exposure to metals can include the aluminum leaching out of our drink cans, the iron in our water supply and the airborne delivery of mercury from the burning of Chinese coal on the other side of the planet. And yet the long-term, cumulative impact of all these tiny streams of poison on animal health is poorly understood, with even less known about how these toxins may interact in combination.

Here are some common chemicals, plastics and metals that may be present in any situation. When searching for toxins, also be certain to consider any specific chemicals or metals that are known to be used on the farm or homestead, including solvents, poisons, herbicides, pesticides, chemical fertilizers, water treatment chemicals, detergents, metals, fuels or pharmaceuticals. Another factor may be organic contaminants such as molds or fungi. Consider possible routes of exposure, which can typically include absorption, inhalation (vapors or smoke) and ingestion (food or water).

Chemicals

Ammonia: cleansers, fertilizers, pharmaceuticals, textiles, explosives and anti-microbials for meat.

Azinphos-methy: nerve agent used as an insecticide called Guthion.

Benzene: industrial solvent used in the production of drugs, plastics, synthetic rubber, and dyes. Gasoline additive.

Chloroform: used as a solvent in the pharmaceutical industry and for producing dyes and pesticides, as well as in the production of Teflon non-stick coatings.

Dioxin: by product of manufacture of chemicals, pesticides and paper.

Ethylene dibromide: gasoline additive, pesticide and fumigant

Formaldehyde: component in manufacture of polymers. Also used as a disinfectant.

Methyl N-Butyl (MTBE): anti-knock additive to fuel

N-Hexane: a main component in gasoline that is used in glues, cleansers and the extraction of oils and proteins from grains like soy

Toluene: industrial solvent and octane booster in fuel

Plastics

Bis 2-ethylhexyl phthalate (DEHP): widely used in plastics, as a hydraulic fluid, as a dielectric fluid in capacitors and in light glow sticks. Also present in plastic wall coverings, table cloths, vinyl floor tiles, shower curtains, garden hoses, rainwear, toys, packaging materials and medical devices.

Butyl benzyl phthalate (BBzP): found in vinyl foam, traffic cones, food conveyors, and artificial leather.

Di-n-butyl phthalate: found in nail polish, dyes and plastics

Di-n-octylphthalate (DNOP): used to keep plastics soft or pliable, including medical tubing, blood storage bags, wires, cables, carpet backing, floor tile and adhesives.

Diethyl phthalate (DEP): used in food packaging, toothbrushes, textiles, paint, colognes and toys.

Dimethyl phthalate: common in plastics, insect repellents and in solid rocket propellant.

Metals

Aluminum: water purification, anti-perspirants, antacids and jet fuel additive

Iron: essential to animal health, but excessive amounts can damage cells in the heart, liver and elsewhere, which can cause significant adverse effects, including coma, metabolic acidosis, shock, liver failure, coagulopathy, adult respiratory distress syndrome and long-term organ damage.

Lead: solder for electronics, pottery glazes, PVC plastic, and ammunition, with previous widespread use in fuel, paint and pesticides.

Mercury: Vaccines, dental amalgams, cosmetics, antiseptics, neon signs, fluorescent light bulbs (compact and traditional) and ore recovery/processing.

Nickel: Stainless steel, magnets, coinage, rechargeable batteries, electric guitar strings and special alloys. It is also used for plating and as a green tint in glass.

Radionic Analysis

A radionic analysis may be conducted to assess the energetic presence and relative strength of any toxin within the energetic realm of the plant or animal of interest.

To investigate known contaminants:

Place a witness or sample in the input well of the instrument, set the rate for the contaminant on one of the banks, then take a reading of energetic intensity. Any intensity reading above 100 should be a source for concern. Use the information discovered during radionic analysis to search for possible sources of toxic contamination around the farm or homestead. When located, consider replacing these compounds or changing handling procedures to improve safety.

To search for unknown contaminants:

Any of the following generalized rates may be used to identify harmful patterns of energetic information.

48.75-48.75: Poison in Metal	60.00-80.00: Poison Ingested	12.90-86.00: Contact Toxins
49.25-49.25: Poison in Chemical	80.00-77.00: Poison Inhaled	14.90-80.75: Contact Poisons

To search for more specific information, place one of the above rates on Bank 1, then either scan on the right hand dial to isolate a location within the organism (0 – XX) or scan on both dials of Bank 2 to identify the specific problem (XX – XX).

Radionic Balancing

For radionic balancing, follow the steps outlined on the **Environmental Sensitivity** worksheet.

Note: Before balancing against contaminants, it is strongly recommended that the aura, chakra and organs of elimination also be brought into energetic balance first to ensure the system is prepared to deal with the release of any patterns of toxicity. See the "ACES" worksheet for more information.

Environmental Sensitivity and Toxicity

Chemical, Plastics, Metals and Organics

Sample Location:				Date:		
Sample ID:				Time:		
Primary Intent:						
Item	Radionic Rate		Initial Reading	Reading #2	Reading #3	Reagents Used/ Comments
General Vitality (GV)	9.00-49.00					
General Properties						
<i>All should equal GV. Broadcast on rate(s) for recommended time(s) to increase.</i>						
Acid/Alkaline Balance (pH)	65.50-48.50					
Acidity	34.00-84.00					
Alkalinity	26.00-41.00					
Hydrogen	10.00-3.50					
Oxygen	31.50-13.50					
Water Mechanism	14.75-91.25					
White Light	12.00-22.00					
Note: Before balancing against contaminants, it is <i>strongly</i> recommended that the aura, chakra and organs of elimination also be brought into balance first to ensure the energetic system is prepared to deal with the release of toxins. See the "ACES" worksheet for more information.						
General Contaminants						
<i>All should equal zero. Broadcast on rate(s) for recommended time(s) to decrease.</i>						
Poison in Chemical	49.25-49.25					
Poison in Drug	38.75-28.75					
Poison in Metal	48.75-48.75					
Poison in Vaccine	28.25-49.25					
Radiation	35.00-39.00					
Radon	39.00-32.50					
Stray Voltage	60.00-61.00					
Unknown (<i>scan for rate</i>)	xx.xx – xx.xx					
Poison in Chemical						
<i>All should equal zero. Broadcast on rate(s) for recommended time(s) to decrease.</i>						
Ammonia	22.00-32.00					
Arsenic	11.00-52.00					
Arsenic	52.00-100.00					
Azinphos-methyl (Guthion)	36.80-27.50					
Benzene	42.50-43.50					
Bleach	70.25-47.25					
Chlorine	48.00-68.50					
Chloroform	24.00-36.00					
Calcium Sulfate	24.00-26.00					
Diesel Fuel #1	14.50-27.50					
Diesel Fuel #2	17.50-19.50					
Dioxin	44.75-49.90					
Ethylene Dibromide	31.00-61.00					
Fluoride	16.00-81.50					
Formaldehyde	21.00-27.00					
Formaldehyde	19.00-21.00					
Herbicide - General	22.30-94.50					
Gasoline - Unleaded	21.50-24.50					
Gasoline - Super Unleaded	36.50-22.50					
Glyphosate ("Roundup")	5.50-88.10					
Magnesium Sulfate	43.25-47.00					

This information compiled for *experimental agricultural research only* and is not intended for use with humans. If medical or mental health care is needed, please visit a licensed professional.



Environmental Sensitivity and Toxicity

Chemical, Plastics, Metals and Organics

Item	Radionic Rate	Initial Reading	Reading #2	Reading #3	Reagents Used/ Comments
Poison in Chemical	49.25-49.25				
<i>All should equal zero. Broadcast on rate(s) for recommended time(s) to decrease.</i>					
Methyl N-Butyl (MTBE)	52.75-34.00				
N-Hexane	41.75-22.50				
Nitrates	32.50-16.50				
Nitrites	74.00-60.00				
Nitrogen Salts	21.75-22.25				
Pesticides - General	74.30-24.00				
Phosphates/Sewage	51.00-63.50				
Sodium Sulfate	51.00-39.25				
Sulfates - General	22.40-18.60				
Toluene	62.60-11.00				
Plastics					
<i>All should equal zero. Broadcast on rate(s) for recommended time(s) to decrease.</i>					
Bis2-ethylhexyl phthalate	38.75-24.50				
Butyl benzyl phthalate	56.25-29.90				
Di-2-ethylhexyl phthalate	70.25-40.75				
Di-n-butyl phthalate	54.50-24.25				
Di-n-octylphthalate	55.25-38.50				
Diethyl phthalate	25.00-14.50				
Dimethyl phthalate	47.90-19.00				
Poison in Metal	48.75-48.75				
<i>All should equal zero. Broadcast on rate(s) for recommended time(s) to decrease.</i>					
Aluminum	16.00-100.00				
Iron	14.00-44.00				
Lead	80.00-100.00				
Mercury	84.60-100.00				
Nickel	41.00-100.00				
Common Organic Contaminants					
<i>All should equal zero. Broadcast on rate(s) for recommended time(s) to decrease.</i>					
Aerobacter aerogenes	55.00-68.00				
Aflatoxins	69.50-33.00				
Cryptosporidium	24.00-13.00				
E. Coli	62.00-100.00				
Fungus	8.50-23.00				
Fungus	9.00-100.00				
Giardia	14.00- 12.00				
Grypto	12.50-89.00				
Grypto	23.00-20.00				
Lepto	71.00-61.00				
Mold	5.50-100.00				
Mold	34.00-100.00				
Mold	35.00-100.00				
Parasites	19.00-100.00				
Proteus bacilli	69.00-20.75				
Staph	20.00-100.00				
Staph	34.00-100.00				
Staph	52.50-100.00				
Staph	89.00-100.00				
Strep	15.00-100.00				
Strep	60.00-100.00				
Virus	2.00-100.00				

This information compiled for *experimental agricultural research only* and is not intended for use with humans. If medical or mental health care is needed, please visit a licensed professional.

2011 Planting Calendar

In the countless centuries before mankind had scalar and mainstream technology to use on their farms and gardens, people relied on a greater knowledge and sensitivity to the planet's natural cycles. Planting by the "signs" helped deliver the extra farm and garden yields that might make the difference between survival and succumbing during the year ahead.

Above-Ground: Cited are the best and next best dates for sowing, planting and transplanting all crops that produce their fruits **above the ground**, including seed beds, flowers, herbs, pasture and lawn grass, as well as all cover crops. These dates also indicate the best dates to transplant **vines and fruit trees**. These are excellent dates for **setting eggs and fishing, as well as breeding** of cows, hogs and other livestock.

Root Crops: Indicates the best dates for planting all crops that bear fruit **in the ground**, including beets, peanuts, radishes, artichokes, carrots, rutabagas and turnips. Also ideal for bedding, planting, and transplanting potatoes.

Cut & Harvest: Indicates the best dates for **cutting hay and gathering all grain crops** to achieve quick curing and good keeping. Also good for planting and transplanting of all non-fruit bearing leaf and vine plants.

JANUARY		JULY	
Above-Ground	8-9, 17-18, 26-27	Above-Ground	1, 9-10, 18-19, 28-29
or next best	3-7, 13-16, 23-25, 30-31	or next best	7-8, 13-17, 23-27
Root Crops	3-4, 13-14, 17-18, 30-31	Root Crops	1, 13-14, 23-24, 28-29
or next best	8-9, 15-16, 26-27	or next best	9-10, 18-19, 25-27
Cut & Harvest	1-2, 10-12, 19-22, 28-29	Cut & Harvest	2-6, 11-12, 20-22, 30-31
FEBRUARY		AUGUST	
Above-Ground	4-5, 14-15, 22-23	Above-Ground	5-6, 14-16, 24-25
or next best	1-3, 9-13, 20-21, 26-28	or next best	3-4, 9-13, 19-23, 30-31
Root Crops	9-10, 14-15, 26-28	Root Crops	9-11, 19-21, 24-25
or next best	4-5, 11-13, 22-23	or next best	5-6, 14-16, 22-23
Cut & Harvest	6-8, 16-19, 24-25	Cut & Harvest	1-2, 7-8, 17-18, 26-29
MARCH		SEPTEMBER	
Above-Ground	3-5, 13-14, 21-22, 30-31	Above-Ground	1-2, 10-12, 20-22, 29-30
or next best	1-2, 8-12, 1-20, 26-29	or next best	6-9, 15-19, 27-28
Root Crops	8-10, 13-14, 26-27	Root Crops	6-7, 15-17, 20-22
or next best	3-5, 11-12, 21-22, 30-31	or next best	1-2, 10-12, 18-19, 29-30
Cut & Harvest	6-7, 15-18, 23-25	Cut & Harvest	3-5, 13-14, 23-26
APRIL		OCTOBER	
Above-Ground	1, 9-11, 18-19, 27-28	Above-Ground	8-9, 18-19, 26-27
or next best	4-8, 16-17, 22-26	or next best	3-7, 13-17, 24-25, 30-31
Root Crops	4-6, 9-11, 22-23	Root Crops	3-4, 13-14, 18-19, 30-31
or next best	1, 7-8, 18-19, 27-28	or next best	8-9, 15-17, 26-27
Cut & Harvest	2-3, 12-15, 20-21, 29-30	Cut & Harvest	1-2, 10-12, 20-23, 28-29
MAY		NOVEMBER	
Above-Ground	7-8, 15-16, 24-26	Above-Ground	4-5, 14-15, 23-24
or next best	2-6, 13-14, 19-23, 29-31	or next best	1-3, 9-13, 21-22, 27-30
Root Crops	2-3, 7-8, 19-21, 29-30	Root Crops	9-10, 14-15, 27-28
or next best	4-6, 15-16, 24-26, 31	or next best	4-5, 11-13, 23-24
Cut & Harvest	1, 9-12, 17-18, 27-28	Cut & Harvest	6-8, 16-20, 25-26
JUNE		DECEMBER	
Above-Ground	3-4, 12-13, 20-22, 30	Above-Ground	1-3, 11-12, 20-21, 28-30
or next best	1-2, 9-11, 16-19, 25-29	or next best	6-10, 18-19, 24-27
Root Crops	3-4, 16-17, 25-27, 30	Root Crops	6-8, 11-12, 24-25
or next best	1-2, 12-13, 20-22, 28-29	or next best	1-3, 9-10, 20-21, 28-30
Cut & Harvest	5-8, 14-15, 23-24	Cut & Harvest	4-5, 13-17, 22-23, 31

We would love to hear about your use of the 2011 Planting Calendar! Send us the results from some side-by-side test plots from your gardens that compare planting with and without the use of this Planting Calendar, radionics and/or any other modalities you may be exploring. **Let us share the results of your research with the rest of the world!**

2011 Calendar of Indications

An extension of the concept of planting by the signs is the idea that there are ideal days for receiving medical care on various parts of the body. Of course, first and foremost use common sense and follow the advice of your doctor!

	Head, Cerebrum, Eyes, Face, Upper Jaw, Carotid Arteries, Front of the Body	Neck, Ears, Lower Jaw, Throat, Cerebellum, Thyroid	Lungs, Bronchi, Trachea, Shoulders, Arms, Hands, Fingers, Sympathetic Nervous System	Breast, Diaphragm, Stomach, Esophagus, Tongue, Left Side of the Body	Heart, Vena Cava, Back, Spine, Spinal Cord, Thymus Gland	Intestines, Duodenum, Peyer's Patch, Solar Plexus, Abdomen, Para-sympathetic Nervous System	Kidneys, Ureters, Adrenal Glands, Skin, Loins, Lumbar Region, Back of the Body	Bladder, Urethra, Genitals, Ovaries/ Testes, Prostate, Sigmoid Colon, Pubic Bone, Nose	Hips, Thighs, Ileum, Femur, Sacrum, Coccyx, Ischium, Blood Vessels, Sciatic Nerves, Pituitary	Knees, Bone, Teeth, Skin, Joints, Hair, Para-thyroids, Right Side of the Body	Lower Legs, Ankles, Circulation, Pineal Body	Feet, Toes, Thalamus, Blood
January	10-12	13-14	15-16	17-18	19-20	21-22	23-25	26-27	1-2, 28-29	3-4, 30-31	5-7	8-9
February	6-8	9-10	11-13	14-15	16-17	18-19	20-21	22-23	24-25	26-28	1-3	4-5
March	6-7	8-10	11-12	13-14	15-16	17-18	19-20	21-22	23-25	26-27	1-2, 28-29	3-5, 30-31
April	2-3, 29-30	4-6	7-8	9-11	12-13	14-15	16-17	18-19	20-21	22-23	24-26	1, 27-28
May	1, 27-28	2-3, 29-30	4-6, 31	7-8	9-10	11-12	13-14	15-16	17-18	19-21	22-23	24-26
June	23-24	25-27	1-2, 28-29	3-4, 30	5-6	7-8	9-11	12-13	14-15	16-17	18-19	20-22
July	20-22	23-24	25-27	1, 28-29	2-4, 30-31	5-6	7-8	9-10	11-12	13-14	15-17	18-19
August	17-18	19-21	22-23	24-25	26-27	1-2, 28-29	3-4, 30-31	5-6	7-8	9-11	12-13	14-16
September	13-14	15-17	18-19	20-22	23-24	25-26	27-28	1-2, 29-30	3-5	6-7	8-9	10-12
October	10-12	13-14	15-17	18-19	20-21	22-23	24-25	26-27	1-2, 28-29	3-4, 30-31	5-7	8-9
November	6-8	9-10	11-12	14-15	16-17	18-20	21-22	23-24	25-26	27-28	1-3, 29-30	4-5
December	4-5, 31	6-8	9-10	11-12	13-15	16-17	18-19	20-21	22-23	24-25	26-27	1-3, 28-30

Upcoming Training Opportunities

Please contact us at KRT for more information about any of these training opportunities.

February 6-7: Dr. Carey A. Reams' Biological Theories

A class covering the practical application of the work of Dr. Carey Reams will be offered by in Omaha, Nebraska. Trained in mathematics, biophysics, and biochemistry, Dr. Reams made many discoveries in the fields of plant growth, energetics, animal health, and soil restoration. These findings were later codified in an overall view of life and energy known as Reams Biological Theory of Ionization (RBTI). This class will be presented by an instructor who personally studied under Dr. Reams.

Note: This is *not* a radionics class.

February 9-11: Beginning Radionics

This class will be offered by Ginny Blankenship in Ankeny, Iowa. Ginny is a lifelong musician, artist and healer with experience manifesting results through radionics, as well as a variety of other skills, talents and capabilities. To enroll in the class or for more info, please call Ginny at 573-680-5940, send an email to "woodswalker7@hotmail.com" or visit her website at: www.woodswalker7.com.

Early March: Beginning Radionics

This class will be offered by Ginny Blankenship in Denver, Colorado, with the exact date to be established in January. Please check back here or contact Ginny for more information.




BETAR EARTH TONE: *RELAX*

BETAR Earth Tone: RELAX emitters produce an extreme low frequency (ELF) sound wave associated with the alpha range of human brainwave activity - *wakeful relaxation*. The RELAX Tone – 7.83 cycles per second – is the naturally-occurring frequency of resonance between the Earth’s upper atmosphere and the surface of the planet – the Schumann Earth Tone. This *soothing hum* was the dominant background frequency for all living things until the arrival of the “modern” age, when continuous exposure to high energy electrical fields and telecommunication signals became the norm.



BETAR Earth Tone: RELAX ELF emitters help *put an end to nervousness and agitated patterns of thinking* by providing peaceful, low-intensity stimulation that can allow the user to remain centered in a pleasant state of wakeful relaxation. Folks that spend *long periods of time driving or operating heavy machinery* will feel the hours slip away when they activate their ELF emitter, with less likelihood of “zoning out”.

BETAR Earth Tone: RELAX ELF emitters are effective for the same reason that playing peaceful music in your home can help suppress the noise coming from the busy street outside. The noise outside is still present, but your focus is drawn to the calming music. But because the RELAX Tone is well below the range of normal human hearing, it is generated using the *exclusive BETAR dual-spin coil antenna* rather than an audio speaker. The result is a sonic wave that may be perceived as a low hum or not at all. Many users simply describe a “wave of calm” settling into the room when their ELF is activated.



BETAR Earth Tone: RELAX ELF emitters are *unobtrusive at home, in the office, or in the car*. Because the BETAR Relax Tone is below the range of normal human hearing, the waveform may be perceived as a low hum or not at all. The device has an effective range of approximately 10 feet (3 meters) in any direction. Because the signal fades as distance between the emitter and the user increases, keep the unit close for maximum effect.



Home & Roam Edition emitters *come equipped with two power supplies*: a 110 volt power supply for the home and a 12 volt power adapter for use in the car, truck, tractor or camper. Unit measures 5.0" x 5.5" x 1.8" (127mm x 140mm x 46mm).

\$129.00 ~~\$149.00~~ Each
TWO OR MORE \$99.00 ~~\$125.00~~ Each



Pocket Edition emitters *operate with a standard 9 volt battery* and are small enough to carry comfortably in a pocket or purse. The Pocket Edition also *fits perfectly in the input well of any Kelly radionic instrument*. There is no easier way to add the Earth Tone to your radionic broadcasts than with the Pocket Edition! Unit measures 4.2" x 2.4" x 0.8" (107mm x 60mm x 20mm).

\$89.00 ~~\$99.00~~ Each
TWO OR MORE \$75.00 ~~\$89.00~~ Each



Invest in contentment! Order before 12/31/10 for special holiday pricing!



Order by 12/17 for delivery by Christmas.



BETAR: SLEEP


BETAR: SLEEP ELF emitters produce a low frequency sound wave associated with the delta range of human brainwave activity – deep, restful sleep. The BETAR Sleep Tone – 4.0 cycles per second – is below the range of normal human hearing, a sleepy hum that can help the brain to tune out both distracting background noises and high energy electrical and telecommunication signals.



BETAR: SLEEP ELF emitters help put an end to tossing and turning, allowing deep, restful sleep to take place. These units also help to reduce the number of times sleep is interrupted with waking or stirring. These units can be especially helpful for travelers, where a strange bed in a hotel can prevent good rest from occurring.

BETAR: SLEEP ELF emitters provide peaceful, low-intensity stimulation that can allow the user to enter and remain in a deep sleep throughout the night. The effect is similar to using a white noise or wave sounds machine to distract the user from the sounds of the night. The sounds outside are still present, but your focus is drawn to the bedside unit. However, because the SLEEP Tone is well below the range of normal human hearing, it is generated using the exclusive BETAR dual-spin coil antenna rather than an audio speaker and can operate without the distraction that a white noise generator creates. Instead, the SLEEP waveform that may be perceived as a low hum or not at all. Many users say a “wave of calm settles in the room” when their ELF emitter is activated.

BETAR: SLEEP ELF emitters are completely unobtrusive when in use. The BETAR Sleep Tone is well below the range of normal human hearing, so the waveform may be perceived as a low hum or not at all. Many users describe a wave of calm settling in the room when the unit is turned on. The unit has an effective range of approximately 10 feet (3 meters) in any direction. Because the signal fades as the distance between the emitter and the user increases, keep this device close by for maximum benefit.



BETAR: SLEEP ELF emitters are unobtrusive at home, in the office, or in the car. Because the BETAR Relax Tone is below the range of normal human hearing, the waveform may be perceived as a low hum or not at all. The device has an effective range of approximately 10 feet (3 meters) in any direction. Because the signal fades as distance between the emitter and the user increases, keep the unit close for maximum effect.

BETAR: SLEEP emitters are intended for use in locations where deep, restful sleep is desired. Comes equipped with a 110 volt power supply for the use in the home or hotel. Unit measures 5.0" x 5.5" x 1.8" (127mm x 140mm x 46mm). Do not utilize this device while operating a vehicle, a stove, or other machinery.

\$129.00 ~~\$149.00~~ Each
TWO OR MORE \$99.00 ~~\$125.00~~ Each



Give the gift of deep, restful SLEEP! Order before 12/31/10 for special holiday pricing!



Order by 12/17 for delivery by Christmas.