

## In This Issue:

- 1: View from the Dome
- 2: Upcoming Training & Events
- 3: KRT Tuning Station: Now with Indicator Lamps!
- 4: Reports from the Field: Geopathic Stress
- 5: Pathological Elimination: Permission & Balancing
- 7: Pathological Elimination: Dissonant Patterns
- 10: Pathological Elimination: Auric Bodies
- 12: Pathological Elimination: Physical Realm
- 12: All You Need is Love: Part 2



## *View from the Dome*

From Orlando, Florida, to Saskatoon, Saskatchewan, this year I have had the opportunity to meet with a wide variety of people hailing from all walks of life through participation in agricultural meetings and radionics workshops. These events are always a wonderful learning experience not only for the participants but also for me as an instructor. Invariably the questions raised and challenges associated with teaching radionics serve to strengthen my own understanding of the subtleties of the art.


For example, recently I saw an amazing thing in a *Fundamentals of Radionics* workshop, where we had a group of 18 participants – a mix of brand new and experienced researchers. Now, my greatest fear in a class like this is that we will have a new user who cannot get a “stick” on the reaction plate/antenna. I am certain that I will be able to teach every other element that must be conveyed to prepare the student to do basic radionics, but if he or she cannot get any response on the rub plate it is almost impossible to move forward.



Out of this group, 16 of the participants got a nice strong reaction immediately and were analyzing with confidence within the first half hour. The 17<sup>th</sup> person took a little longer, but within the first two hours it was smooth sailing for him as well. But the last fellow – the 18<sup>th</sup> man - was totally stuck and getting no response of any kind from his instrument. We tried replacing the basic rub plate with a large Phase Array Antenna. We tried adjusting his position and posture. And each time the class would start a new exercise, I would come find the stick for him - show him exactly where he should find it on the dial. But the poor fellow rubbed and rubbed and rubbed and never got the slightest tingle even while everyone around him was obviously getting the readings with greater ease as the hours and days rolled on.

And then all at once in the middle of an exercise on the morning of the *third day* he suddenly shouted, "Its tingling! I'm getting it!" and everyone else in the room cheered. Once he broke through it came very easily, such that by the end of that day and all through the Advanced Class he was doing as well as his classmates. What did I learn? I left that class convinced that *anyone* can learn to do radionics if they will persevere and spend the time to find the subtlety of the sensation. And I was reminded that when the going gets tough sometimes there is no other answer but to buckle down and refuse to quit or surrender.

What a wonderful tool we have in radionics!



# Upcoming Training & Events

## **August 24-25**                      **First Annual Regenerative Farming Field Days**                      **Atlanta, IN**

Bio-Energetic Harmonics Farm will teach and demonstrate how seed genetics, soil health, cover crops, and targeted plant nutrition all work together to create productive, high quality crops that can stand up to the toughest weather conditions. Call Marietta Pickett at 317-773-0061 for more info.

## **September 15-16**                      **Advanced Radionics II: Class 5**                      **New York, NY**

In this Certificate Program Course, Dr. Linda Lancaster teaches the use of the pendulum and the practice of radiesthesia to determine radionic analysis. The work of Dr. Ruth Drown, Malcolm Rae, Dr. Bhattacharya, and Dr. Hazel Parcels will be reviewed. Learn more at [www.lightharmonics.com](http://www.lightharmonics.com).

## **September 24-26**                      **KRT's Fundamentals of Radionics**                      **Columbus, OH**

This workshop will include a balance of theory, practical application, and hands-on activities designed to meet the needs of brand new beginners and seasoned veterans alike. Topics covered will include:

- History of Radionics
- Radionic Instruments: Theory of Operation
- Capturing Effective Samples and Witnesses
- The Operator and Focused Intent
- Safe and Effective Use of Radionics
- Operation of the Kelly Instruments
- Energetic Analysis and Balancing
- Use of Reagents: Physical and Electronic
- Basic Rate Scanning and Dowsing
- Water Analysis Worksheet
- Plant and Soil Analysis Worksheet
- Animal Analysis Worksheet

Participants should also bring samples of the water they drink and fur/hair from an animal they own. This is a hands-on workshop that requires a radionic instrument. Bring yours or order as soon as possible if a new instrument is required. A limited number of instruments are available for rent.

## **September 27**                      **KRT's Advanced Topics in Radionics**                      **Columbus, OH**

A one day course for intermediate and advanced users designed to explore new dimensions of radionic knowledge. Participants must have previously completed a Fundamentals course. Topics covered will include:

- Advanced Rate Scanning for Accuracy
- Advanced Reagent Selection and Use
- Electronic Potentizing and the Replicator
- Radionic Harmonic Matching

## **October 14-16**                      **KRT's Fundamentals of Radionics**                      **The Dome - Lakemont, GA**

## **October 17**                      **KRT's Advanced Topics in Radionics**                      **The Dome - Lakemont, GA**

Visit The Dome in Lakemont, Georgia, and see where KRT was born and all of the radionic instruments are built! Participants will also have the opportunity to ride the original BETAR Master Edition focused vibroacoustic sound therapy system - the ultimate deep relaxation experience.

## **October 24-25**                      **Basic Self Empowerment through Scalar Energy**                      **Rapid City, SD**

## **October 26-27**                      **Advanced Self Empowerment through Scalar Energy**                      **Rapid City, SD**

Dr. Ron Barone's new courses promise "a way of empowering you to make changes to your emotional, spiritual, physical and financial self. This will be a working class with lots of supervised machine time, hard work, and scheduled breaks." Call Dr. Barone at 605-787-562- for more info.

**Note: This list provided as a service to the radionics community. However, KRT is not responsible for anything said, suggested, claimed, or implied by any individual or group in any non-KRT course, workshop, or event.**

**Kelly Research Report** is published by Kelly Research Technologies, Post Office Box 128, 121 Oasis Road, Lakemont, Georgia, 30552. EDITOR-IN-CHIEF: Ed Kelly. *Kelly Research Report* is published quarterly. Copyright in the United States. Reproduction in whole or in part is forbidden unless written permission has been granted by the publisher. Annual subscription rate is \$25.00 in North America, \$40.00 (U.S. Dollars) else where. Single copies and back issues are \$5.00 each. Correspondence and subscription requests should be sent to *Kelly Research Report* at the above address. Expiration date for a subscription is shown in brackets following the subscriber's name on the address label. Publication of this newsletter in no way constitutes a claim that psychotronic, radionic or scalar technology devices are effective in the treatment of disease or other human ailments. These devices are designed to be used for personal research and/or agricultural purposes only. We are not in the business of treating people and/or teaching to treat people to treat people. Persons with mental or physical illnesses should be referred to qualified medical practitioners licensed by federal, state or local agencies. The publisher assumes no responsibility for the accuracy, efficacy or effects of material presented here or material submitted by readers. This material represents research that is being passed on for enlightenment of others who are following, or wish to follow, similar paths. [www.kellyresearchtech.com](http://www.kellyresearchtech.com)

# The KRT Tuning Station: Now with Indicator Lamps!

The **KRT Tuning Station** has been a solid success, with dozens of these units built and shipped to radionic researchers all over the world since their introduction six months ago. The KRT Tuning Station was developed as a direct response to *your* requests for the ability to **expand the capacity of your radionic instrument** with auxiliary rate banks, including the Personal Instrument, the Seeker, the Beacon and the Workstation.

Simply connect the output jacks of the Tuning Station to the input jacks of your radionic instrument and immediately enjoy four additional banks on which to analyze and broadcast radionic rates. Likewise, the Tuning Station adds rate imprint and broadcast capabilities to the Replicator.

How are these units being utilized?

- **Cutting balance times** with the ability to set six or seven rates at a time, depending on the radionic instrument used.
- Improving the resolution of known and cold scanned rates by adding additional layers of information for **improved broadcast effectiveness**.
- Improving the effectiveness of balancing of complementary and/or interrelated processes, such as tuning of the seven chakra, multiple parts of the organism, and energetic balancing of soil system components.
- Utilization of the **360 degree "round dials"** with known and cold scanned rates on instruments without that capability, such as the Personal Instrument and Beacon.



One request that we received almost immediately from owners of Seeker, Beacon, and Workstation instruments was to have the Tuning Station equipped with the same LED indicator lamps that indicate when a specific bank is activated. Users of these instruments had gotten used to being able to tell which banks were active at a glance.

**Take your subtle energy research to the next level** with the addition of this powerful new accessory to your radionic instrument!

- **Standard: Four banks** of parallel plate capacitors that generate analog scalar waveforms as accurate as the sensitivity of the operator, with three half-dial (180°) banks and one round-dial (360°) bank.
- **Standard:** Large, **easy-to-read rate dial markings** increase accuracy and user effectiveness.
- **Standard: Beautiful oak cabinet**, or upgrade to a custom laminate finish in the color of your choice.
- **Standard: No electricity required!** Like adjustable tuning forks, the parallel plate capacitors resonate with the information-as-energy that flows naturally from all organic and non-organic substances.
- **Optional:** At-a-glance LED indicator lamps tell users which banks are active and which are turned off, eliminating the possibility of missed broadcasts. These units come equipped with a 9 volt power supply.

**THE KRT TUNING STATION: AN EXPERIMENTAL AGRICULTURAL TUNER..... \$750.00**

**THE KRT TUNING STATION: With Led Indicator Lamps & Power Supply..... \$850.00**

***Thank you to everyone that has invested in a KRT Tuning Station!***

# Reports from the Field: Geopathic Stress

Geopathic stress is a natural phenomena that can be created when the planetary energetic or magnetic fields interact unfavorably with plants or animals. While it is usually not possible to eliminate these fields, our friend Daniel Taylor reports that it *is* possible to divert them.

Ed,


Checking and balancing geopathic stress is about like brushing your teeth nowadays - it's a daily thing. I recently learned a technique from a long-time dowser in the Denver area and my results look pretty good so far. It seems to work on principles of Sacred Geometry, similarly to the Flower of Life pattern. One nice feature is that it can reduce or eliminate the need for dowsing/radionics, which is very handy for working with really sick subjects, who aren't going to be doing that for themselves anyway, especially the four-legged ones. It's also cheap, and easy to do. You can apply it to a room or a whole piece of property.

If you get a chance, try it out, and let me know what you think.

Peace,  
Daniel

## Geo-Biological (Environmental) Balancing: A Simple Method for Reducing Geopathic Stress

1. Use your dowsing system to check for Geopathic Stress before and after placement of rods.
2. Cut 4 rods from 3/32" copper gas welding wire at 25" long. (Rods can technically be cut from any material, at any diameter, but all of the rods should be made from the same substance. The welding wire works well and is easy to prepare, but wooden dowels or other material might work. Check with dowsing.) Place these longer rods vertically, at corners of building or property, either inside or outside, approximating a square or rectangle.
3. Cut 4 rods from the same 3/32" copper gas welding wire at 14 5/8" long. Place these shorter rods vertically, halfway between the long rods.
4. Rods do not have to be at the same elevation: one may be in the basement, another on the first floor, etc. Inside rods may need tape to hold them in place. Outside rods can be driven into the ground; it is alright if they bend a little. Pacing works fine to measure off the distances. Optionally, you can also dowse to see which end of the rod should go down (or up).
5. The 8 rods may balance up to 100 acres. (Always recheck with dowsing.)
6. Depending upon the initial conditions, it is possible for a 'healing crisis' to ensue as a result of the changes. Be advised.
7. Utilize your dowsing system to reassess the Geopathic Stress after the rod placement.



X = Longer Rod (25")    O = Shorter Rod (14 5/8")

This is based upon an Ancient Egyptian technique, modified from data taught by Doug Benjamin of Walled Lake, Michigan. The measurements are sacred Egyptian cubits (there are several). The resonance created with this Sacred Geometry converts the stress lines into a more useful form of energy to the body, from about 350 to 500 feet above and below the level of the rods. This method supplants placing L-rods straddling the center core of the Hartmann and geopathic lines. It also eliminates the necessity of being a master dowser. This technique enhances the use of, and is a great extension to, Feng Shui. Many have described decreased health dysfunction after the rods were installed, simply due to the reduction of Geopathic Stress.

The information was developed by Bill Reid, P.O. Box 475, Golden, CO 80402. See: <http://tinyurl.com/bmxzzbp>

# ADVANCED RADIONICS: Systematic Pathological Elimination

## Introduction

Everything in the universe is fundamentally composed of vibration and energy. The heart of every atom and the endless motions of the tiny subatomic particles therein are powered by an infinite sea of living energy. The frequencies at which the energy vibrates determine which subatomic particles will manifest in the physical realm we perceive as reality. In this way, each frequency serves as a blueprint of vibratory information - a musical note for every element on the periodical table.

When chemical elements combine to create compounds and alloys, their corresponding patterns of frequency information combine to create harmonic chords and melodies. The energetic strengths of each of those melodies are a factor of the degree of positive and negative harmonic resonance shared between all of the energy patterns present. The more elements that share high positive resonance, the stronger that compound will be. Likewise compounds are weakened by dissonant patterns of information – sour notes that dilute the strength of the music.

The same principles apply to organisms. The stronger the harmonic relationship between the energetic processes in an organism, the stronger the overall health of the organism. Energetic dissonance is introduced by pathologicals, poisons, and toxins. These elements act as sour notes within the symphony of life and can dilute and even overpower the organism. For this reason, systematic elimination of dissonant patterns of information is essential to the overall energetic strength of any organism.

## Step 1: Balance the Organism

Preceding any effort to eliminate dissonant patterns of information should be an overall balancing and tune up of the positive energetic processes. This will prepare the organism for the work of processing and eliminating any pathological or other dissonant patterns of information. A quick tune-up may be achieved using the “ACES” worksheet, which is specifically focused on the Aura, Chakra, Elimination Organs and Supporting Functions. For a more complete tune up, analyze and balance all of the energetic processes found on page 1 of the Animal Analysis worksheet:

1. **Ask for permission** to carry out energetic work on the organism:
  - A. **Zero the instrument:** Set the “Amp” switch to the off position, set both the “Bank 1” and “Bank 2” switches to the off position and set both banks to the “0-0” (null) scalar frequencies using the rate dials.
  - B. **Load the sample well** with the sample, specimen or witness to be analyzed. Be certain that all items placed in the sample well are free of contamination, including the fingerprints of the operator.
  - C. **Set one of the banks to “100.00-0.00”** using the rate dials, then activate that bank by setting the switch to “on”. Unused banks should remain turned off and set to “0-0”.
  - D. **Identify the intensity:** Focus the mind on the question “Do I have permission to carry out energetic work on this organism at this time?” while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked “Intensity”. A measured intensity of 500 or higher indicates energetic work is permitted, while a reading below 500 means this work should not be carried out. **Do not proceed if the answer is “NO”!**

2. **Complete an analysis** of all patterns of information (radionic rates) found on the first page of the Animal Analysis worksheet:

- A. **Zero the instrument:** Set all banks to the "0-0" (null) settings using the rate dials and turn off all bank activation switches.
- B. **Load the sample well** with the sample, specimen or witness to be analyzed. Be certain that all items placed in the sample well are free of contamination, including the fingerprints of the operator.
- C. **Set the first rate** on the Animal Analysis worksheet on one bank of frequency dials, then activate that bank by setting the switch to "ON". Unused banks should remain turned off and set to "0-0".
- D. **Identify the intensity:** Focus the mind on the question at hand ("What is the strength of XYZ in organism ABC?") while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked "Intensity". Multiple resonance points or "sticks" of varying intensities may be observed; recorded the strongest of these for the pattern of information being evaluated.
- E. **Record the strongest resonance point** found on the intensity dial. This is the relative energetic strength of that pattern of information.
- F. **Repeat this process** for all rates listed on the worksheet.

3. **Balance the organism** by broadcasting on those radionic rates whose strongest intensities were measured to be 50 or more points lower than the intensity measured for General Vitality (GV=9.00-49.00). The goal is to raise the weaker rates to be equal to GV.

- A. **Set the weak rate** on one of the banks, then activate that bank by setting the switch to "on". In many cases additional weak rates may be set on any unused banks on the instrument and any connected Tuning Stations in order to reduce the amount of time necessary to complete all balancing.
- B. **Activate the broadcast circuit** on the instrument.
- C. **Identify the broadcast time:** Focus the mind on the question "For how many minutes should this broadcast take place in order to balance these patterns of information with no unintended outcomes?" while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked "Intensity". The strongest resonance point detected is the appropriate broadcast time and is read as minutes on the dial. In the event that the strongest point of resonance is found at the maximum reading on the intensity dial, return the dial to zero and rephrase the question, substituting "hours" instead of "minutes".
- D. **Add any reagents** and test for desirability by rechecking broadcast time. A helpful reagent will reduce the amount of time required to balance the pattern(s) of information set on the instrument.
- E. **Check for permission** to make the broadcast by setting the intensity dial back to zero, then asking the question, "Is this an appropriate broadcast to make at this time?" while rubbing the reaction plate. A stick will indicate a "yes" while a lack of stick will indicate "no".

*Note: Since overall permission was granted at the beginning of the project, a reading of "no" on a particular broadcast indicate a problem with the broadcast time, the selected reagents, or the combination of rates set on multiple banks. Try repeating the question without reagents or with one rate bank active at a time until the conflict is identified.*

- F. **Broadcast** for the time indicated, then turn off the amplification circuit and re-check the intensity for each rate set. Do not overbalance!
- G. **Record** the new intensities for every pattern of information that was balanced.

## Step 2: Identify and Eliminate Dissonant Patterns of Information

Page 2 of the Animal Analysis worksheet is dedicated to those patterns of information that create dissonance with an organism: diseases, poisons, toxins, and other negative factors. Elimination of these sour notes is essential to any effort to increase the overall energetic strength of an organism.

1. **Complete an analysis** of all pathological patterns of information found on page 2 of the Animal Analysis worksheet using the same analysis techniques described on the previous page; load the sample well, set the pathological rate, identify the intensity of the strongest resonance point, and record the results. As always, analysis must be conducted one rate at a time.

2. **Broadcast to reduce weak pathological patterns of information.** Traditionally patterns of information with intensities between 0-100 are said to exist only in the energetic realm, while readings of 100 to 200 are believed to be making a transition from the energetic to the physical – the “kindling” phase. Patterns of information with intensities measured *above* 200 are believed to have a tangible presence within the physical plane that should be detectable by mainstream laboratory techniques. The goal of this step is to balance away those negative patterns that are less deeply rooted in the physical realm – those rates observed to have a reading of **200 or less** on the Intensity dial.

- A. **Set the pathological rate** on one of the banks, then activate that bank by setting the switch to “on”. In many cases additional dissonant patterns of information may be set on any unused banks on the instrument and any connected Tuning Stations in order to reduce the amount of time necessary to complete all balancing.
- B. **Activate the broadcast circuit** on the instrument.
- C. **Identify the broadcast time:** Focus the mind on the question “For how many minutes should this broadcast take place in order to eliminate these patterns of information with no unintended outcomes?” while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked “Intensity”. The strongest resonance point detected is the appropriate broadcast time and is read as minutes on the dial. In the event that the strongest point of resonance is found at the maximum reading on the intensity dial, return the dial to zero and rephrase the question, substituting “hours” instead of “minutes”.
- D. **Add any reagents** and test for desirability by rechecking broadcast time. A helpful reagent will reduce the amount of time required to balance the pattern(s) of information set on the instrument.
- E. **Check for permission** to make the broadcast by setting the intensity dial back to zero, then asking the question, “Is this an appropriate broadcast to make at this time?” while rubbing the reaction plate. A stick will indicate a “yes” while a lack of stick will indicate “no”.


***Note:** Since overall permission was granted at the beginning of the project, a reading of “no” on a particular broadcast indicate a conflict with the broadcast time, the selected reagents, or the combination of rates set on multiple banks. Try repeating the question without reagents or with one rate bank active at a time until the conflict is identified.*

- F. **Broadcast for the time indicated**, then turn off the amplification circuit and re-check the intensity for each rate set. Do not overbalance!
- G. **Record the new intensities** for every pattern of information that was balanced.
- H. **Repeat this process** for all of the weaker patterns of information.

3. **Systematically locate all instances of strong pathological patterns of information.** The goal of this step is to balance away all patterns of information whose energetic strengths were observed to have a reading of **greater than 200** on the Intensity dial. In order to do so, rather than simply broadcast on the dissonant rate, the researcher will search for every location within the organism where the negative pattern of information may be found, then eliminate each individually.

- A. **Set the strong pathological rate** on one of the banks, then activate that bank by setting the switch to "on". This setting indicates the presence of the dissonant patterns of information in the entire organism – the whole body.
- B. **Search for specific locations** in which the negative pattern of information has taken root. This process varies slightly depending on the form of the rate.

a. **If the rate has the form "X – 100.00"**: In this situation the left hand dial is set to some number and the right hand dial set to "100.00". Because the setting "100.00" on the right hand dial always indicates the whole of the organism, the researcher may scan on this dial to find specific locations within that organism. Slowly turn the right hand dial counterclockwise away from "100.00" until a resonance point is detected on the reaction plate/antenna. Stop at that point, take a reading on the Intensity dial, and record both the setting (location) and the intensity. Repeat this process as many times as is necessary by continuing to scan on the right hand dial until every resonance point is found for the condition set on the left hand dial.



**Example:**

*When completing an analysis using page two of the Animal Analysis worksheet, the researcher detects an energetic strength of 450 on the Intensity dial for the rate 20.00-100.00, which is described as "Toxins". This tells us the total strength of that negative pattern of information within the entire organism.*

*Next the researcher searches for each of the specific locations within the organism where the "Toxins" pattern of information has taken root. Scanning all the way around the right hand dial reveals the following:*

Instrument Bank	Location	Rate	Intensity
Bank 1	Whole Organism	20.00 – 100.00	450
Bank 1	#1	20.00 – 87.50	220
Bank 1	#2	20.00 – 74.25	300
Bank 1	#3	20.00 – 48.00	175
Bank 1	#4	20.00 – 21.50	210
Bank 1	#5	20.00 – 3.00	265

*These results indicate the pattern of information described as "Toxins" is located at five specific locations in the organism. Some are stronger than others, but **all** should be eliminated by broadcasting as described in Step C below. Note that all scanning was conducted on Bank 1 of the radionic instrument.*

- b. **If the rate has the form "X – Y":** In this case the right hand dial is not set to "100.00". As such, the researcher does not have the convenience of working with a rate whose right hand dial setting indicates the entire organism - both dials are uniquely set to describe a specific negative pattern of information. In this case the researcher must turn on a second bank on the instrument and set it to "0.00-100.00". With both banks turned on and the first bank unchanged, slowly scan counterclockwise on the right hand dial on Bank 2 - the dial originally set at "100.00" - until a resonance point is detected on the reaction plate/antenna. Stop at that point, take a reading on the Intensity dial, and record both the location on the right dial of Bank 2 and the intensity. Repeat this process as many times as is necessary by continuing to scan on the right hand dial on Bank 2 until every resonance point is found for the condition set on both dials of Bank 1.

**Example:**

*When completing an analysis using page two of the Animal Analysis worksheet, the researcher detects an energetic strength of 380 on the Intensity dial for the rate 49.25-49.25, which is described as "Poison in Chemical". This tells us the total strength of that negative pattern of information within the entire organism.*

*Next the researcher searches for each of the specific locations within the organism where the "Poison in Chemical" pattern of information has taken root. Because Bank 1 is used to describe "Poison in Chemical", scanning is conducted on Bank 2.*

*Scanning all the way around the right hand dial reveals the following:*

Instrument Bank	Location	Rate	Intensity
Bank 1	Whole Organism	49.25 - 49.25	380
Bank 2	#1	00.00 – 93.00	320
Bank 2	#2	00.00 – 82.50	100
Bank 2	#3	00.00 – 34.25	240
Bank 2	#4	00.00 – 16.00	180

*These results indicate the pattern of information described as "Poison in Chemical" has been located at four specific locations in the organism. Some are stronger than others, but **all** should be eliminated by broadcasting as described in Step C below. Note that Bank 1 remained set to "49.25-49.25" while all scanning was conducted on Bank 2 of the radionic instrument. Likewise when broadcasting to eliminate Bank 1 will be set to "49.25-49.25" while Bank 2 will be set to "0.00-93.00", Bank 3 will be set to "0.00-82.50", and so on.*

- C. **Broadcast to eliminate all pathological patterns** found by setting the instrument to the specific locations detected. If multiple rate banks are available on the instrument, in many cases multiple locations may be balanced at the same time by setting each bank to a different location. However, *note that in the case of the second example every broadcast will utilize at least two banks. Broadcasting on more than one at a time will require the use of a three bank instrument or the addition of a Tuning Station to the circuit.*

- D. **Activate the broadcast circuit** for your instrument.

- E. **Identify the broadcast time:** Focus the mind on the question “For how many minutes should this broadcast take place in order to balance these patterns of information with no unintended outcomes?” while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked “Intensity”. The strongest resonance point detected is the appropriate broadcast time and is read as minutes on the dial. In the event that the strongest point of resonance is found at the maximum reading on the intensity dial, return the dial to zero and rephrase the question, substituting “hours” instead of “minutes”.
- F. **Add any reagents** and test for desirability by rechecking broadcast time. A helpful reagent will reduce the amount of time required to balance the pattern(s) of information set on the instrument.
- G. **Check for permission** to make the broadcast by setting the intensity dial back to zero, then asking the question, “Is this an appropriate broadcast to make at this time?” while rubbing the reaction plate. A stick will indicate a “yes” while a lack of stick will indicate “no”.  
*Note: Since overall permission was granted at the beginning of the project, a reading of “no” on a particular broadcast indicate a conflict with the broadcast time, the selected reagents, or the combination of rates set on multiple banks. Try repeating the question without reagents or with one rate bank active at a time until the problem is identified.*
- H. **Broadcast** for the time indicated, then turn off the amplification circuit and recheck the intensity for each rate set. Do not overbalance!
- I. **Record** each new intensity found.
- J. **Recheck the intensity of the “whole organism” rate.** In every case the researcher will find that after reducing or eliminating the negative patterns of information in each specific location, the “whole organism” rate will also be significantly reduced *even though the whole organism rate was never balanced directly.*
- K. **Repeat the entire process** until all strong pathological patterns of information have been identified and eliminated.

### Step 3: Search the Auric Bodies

The aura is the energy field that surrounds every organism. The living energy of the universe enters the organism through the chakra, illuminates the physical form, then radiates outward like the light shining through a lampshade. The aura has multiple layers, each associated with a particular chakra. It is possible for dissonant patterns of information to take root within any of the layers of the aura. Systematic elimination of these pathological processes will include completion of the following process.

- A. **Balance the aura** by completing the Aura Balancing worksheet. This process will include improving aura coordination, eliminating aura distortion, balancing the auric bodies, and repairing/sealing any holes or tears.
- B. **Search each of the auric bodies** for the negative pattern of information as follows:
  - a. **Set the pathological rate** on one of the banks, and then activate that bank by setting the switch to “on”. This setting indicates the presence of the dissonant patterns of information in the entire organism – the whole body.
  - b. **Set the rate for the auric body** on a second bank on the instrument and then activate that bank by setting the switch to “on”. The rates for the auric bodies are as follows:

<u>Auric Body</u>	<u>Radionic Rate</u>
1. Celestial/Causal	17.50-58.00
2. Mental	48.00-27.00
3. Astral III	68.00-37.00
4. Astral II	87.00-69.00
5. Astral I	25.00-47.00
6. Etheric	49.00-57.00
7. Physical	68.00-49.00

- c. **Identify the intensity:** Focus the mind on the question at hand (“What is the strength of XYZ in this auric body?”) while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the Intensity dial. Multiple resonance points or “sticks” of varying intensities may be observed; recorded the strongest of these for the pattern of information being evaluated.
- d. **Record the strongest resonance point** found on the intensity dial. This is the energetic strength of the negative pattern of information within that auric body.
- e. **Repeat this process** by searching for the pathological patterns of information in all seven auric bodies.

C. **Broadcast to eliminate pathological patterns** found in the auric bodies:

- a. **Set the pathological rate** on one of the banks, and then activate that bank by setting the switch to “on”. This setting indicates the presence of the dissonant patterns of information in the entire organism – the whole body.
- b. **Set the rate for the auric body** on a second bank on the instrument and then activate that bank by setting the switch to “on”.
- c. **Activate the broadcast circuit** for your instrument.
- d. **Identify the broadcast time:** Focus the mind on the question “For how many minutes should this broadcast take place in order to eliminate these patterns of information with no unintended outcomes?” while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked “Intensity”. The strongest resonance point detected is the appropriate broadcast time and is read as minutes on the dial.
- e. **Add any reagents** and test for desirability by rechecking broadcast time. A helpful reagent will reduce the amount of time required to eliminate the pathological pattern of information from the auric body.
- f. **Check for permission** to make the broadcast by setting the intensity dial back to zero, then asking the question, “Is this an appropriate broadcast to make at this time?” while rubbing the reaction plate. A stick will indicate a “yes” while a lack of stick will indicate “no”.  
*Note: A reading of “no” probably indicates a conflict with the broadcast time, the selected reagents, or the combination of rates set on multiple banks. Try repeating the question without reagents or with one rate bank active at a time until the problem is identified.*
- g. **Broadcast** for the time indicated, then turn off the amplification circuit and re-check the intensity of the combination of the pathological and auric body rates. Do not overbalance!
- h. **Record** the new intensity found.
- i. **Repeat the entire process** until all pathological patterns of information have been eliminated from the auric bodies.

#### Step 4: Consider the Physical Realm

The energetic and physical realms are coexisting facets of life – every organism is defined by both the physical body and also the spirit of living energy that inhabits that body. Much of the appeal of radionics is the ability to take action in the energetic realm in an effort to create change in the physical realm. However, in many cases the fastest, easiest and most direct impact will come from taking action in the physical.

An example of this concept is illustrated by Gramps, a cat that we own. Analysis of this cat's energetic state revealed a high level of the pattern of information associated with fungus (45.00-100.00). While completing all of the steps and processes previously described would successfully reduce the fungal pattern of information to zero, within a few weeks the fungus would reappear.



Rather than just carry out the broadcast over and over, a search of the physical realm was conducted for a fungal problem. Eventually a piece of wood was found in the crawlspace of the house that was covered with a thick coat of mold. After this rotten lumber was removed, the radionic process was repeated once again. Fungal patterns of information were reduced to zero and have remained there for months.



#### Conclusion

Systematic elimination of pathological patterns of information is essential to increasing the overall strength of the organism. The processes described above facilitate identification of negative and dissonant patterns whether they are located within the organism, the aura, or in the physical environment in which that organism resides.

---

---

## All You Need Is Love: Part 2

This just in from our friend Marty Lucas over at Every Advantage Consulting.

Ed,

This week has shown me some very cool results. Based upon the idea that all organisms crave love, I have been broadcasting Unconditional Love (33.00-33.50) before I do any other broadcasting. When I do that the defenses drop and balancing times are cut at least in half.

When I applied this approach to a two-legged animal, his adult son told me that for the first time in his life his father told him that he loved him. How cool is that?

My original idea was to add the Love frequencies as another bank to my broadcasts, but that has not been necessary. Although, I do need to send Love out every couple of hours in order to keep the defenses down.

Marty

---

Marty will teach *Beginners Radionics* in Des Moines on November 7 - 9, immediately preceding the intermediate level *2<sup>nd</sup> Annual Pat Schmidt Reunion Class* on November 10 - 11. Call Marty at 515-270-2300 for more information on either event.



# Animal Analysis Worksheet

Name:			Sex:			Project Intent:					
Animal Type:			Age:								
Date:						Date:					
SDR	VISCERAL = (GV)		Read	Read	Read	SDR			Read	Read	Read
	100.00- 0.00	Appropriate Yes/No				26	59.00- 92.00	Breast, Female			
	9.00- 49.00	<b>GENERAL VITALITY</b>				*	66.00- 22.00	CHAKRA: Sacral			
	12.00- 22.00	White Light				95	4.00- 95.00	<b>Spleen - 2E</b>			
	43.00- 28.00	Aura Distortion (L)				13	39.00- 30.00	Bladder, Universal			
		Auric Bodies Y N #				26	5.00- 91.00	Prostate			
	62.30- 54.50	Dehydration (L)				*	66.00- 56.00	CHAKRA: Base			
	14.75- 91.25	Water Mechanism				23	3.00- 82.00	<b>Kidneys - 1E</b>			
	16.50- 34.50	Will to Live				46	3.00- 9.00	Adrenals			
	11.00- 100.00	Reserve Energy					33.00- 39.00	Adrenal Cortex			
	37.00- 22.00	Aura Coordination					28.00- 23.00	Adrenal Medulla			
	0.00- 49.00	Blood				26	37.00- 94.00	Testes			
	6.00- 72.00	Antibodies				22	3.00- 54.00	Ovaries			
*	36.00- 56.00	CHAKRA: Crown				81	10.00- 61.00	Uterus			
27	16.00- 28.00	Gland, Pineal				96	0.00- 96.00	Coccyx			
*	10.00- 60.00	CHAKRA: Brow				6	0.00- 6.00	Pacchionian Body			
	11.00- 82.00	Brain					62.25- 52.00	S, M, E Clarity (1)			
	6.00- 87.00	Gland, Pituitary					22.50- 36.80	Left Brain Hemisphere			
65	74.00- 65.00	Pituitary, Anterior					54.50- 89.00	Right Brain Hemisphere			
87	56.00- 23.00	Pituitary, Posterior					25.50- 30.25	Septum Pellucidum (2)			
91	5.00- 62.00	Nervous System						(2) connects both hemispheres			
39	39.00- 24.00	Gland, Parotid									
*	28.00- 37.00	CHAKRA - Throat					26.00- 41.00	Alkalinity			
98	6.00- 81.00	Gland, Thyroid					34.00- 84.00	Acidity			
92	86.00- 4.00	Gland, Parathyroid					44.00- 43.00	Protein			
47	92.00- 83.00	<b>Lungs - 5E</b>					24.00- 4.00	Calcium (Ca)			
*	60.00- 66.00	CHAKRA: Heart					82.00- 42.00	Sodium (Na) (LEFT)			
70	2.00- 76.00	Heart					30.50- 67.00	Potassium (K) (RIGHT)			
77	59.00- 77.00	Gland, Thymus					27.00- 13.00	Magnesium (Mg)			
28	8.00- 5.00	Vagus Nerve					24.00- 52.50	Boron (B)			
	2.00- 98.00	Aorta					41.50- 19.75	Fiber			
	23.00- 25.00	Chlorophyll					42.00- 92.00	Chromium (Cr)			
21	35.00- 92.00	Bone Marrow					37.00- 93.00	Chlorine ((Cl)			
17	44.00- 41.00	Lymphatics					5.00- 72.00	Sugar			
*	67.00- 16.00	CHAKRA: Solar Plexus					50.00- 42.00	Histamine			
34	9.00- 70.00	Pancreas					61.75- 88.25	Digestibility			
	36.00- 35.00	Islets of Langerhans					39.00- 82.00	Assimilation			
29	17.00- 29.00	<b>Liver - 4E</b>					24.00- 21.25	Amino Acids			
45	45.00- 29.00	Liver, Left Lobe					45.00- 55.30	AA " " Metabolism			
35	13.00- 64.00	Gall Bladder					78.50- 58.75	Vitamin B <sup>12</sup>			
32	77.00- 84.00	Stomach									
	21.00- 69.00	Ileocecal Valve									
	8.00- 72.00	<b>Colon - 3E</b>									
54	16.00- 25.00	Duodenum									
66	3.00- 8.00	Appendix									
41	11.00- 41.00	Muscle									

# see ACES Worksheet for Auric Body Balancing

(1) Spiritual, Mental, Emotional Clarity

2010-11-22-p1

This information compiled for *experimental agricultural research only* and is not intended for use with humans. If medical or mental health care is needed, please visit a licensed professional.





**KELLY RESEARCH TECHNOLOGIES**  
 POST OFFICE BOX 128  
 LAKEMONT, GEORGIA 30552  
 v: (706) 782-2524  
 f: (706) 782-1047  
 E-mail: info@kellyresearchtech.com  
[www.kellyresearchtech.com](http://www.kellyresearchtech.com)

# Kelly Research Report Winter 2011 Order Form

Page	Item	Price	S/H	Qty	Total
2	KRT Fundamentals of Radionics – Individual Enrollment	\$599.00	N/A		
2	KRT Fundamentals of Radionics – Family & Friend (each)	\$499.00	N/A		
2	KRT Fundamentals of Radionics – Retake or w/ Purchase	\$299.00	N/A		
2	KRT Advanced Topics in Radionics – Individual Enrollment	\$149.00	N/A		
2	Instrument Rental (supplies are limited!)	\$50.00	N/A		
3	KRT Tuning Station	\$750.00	\$20.00		
3	KRT Tuning Station w/ LED Indicator Lamps & Power Supply	\$850.00	\$20.00		
5-12	2012 Electronic Rate Book – New Purchase	\$299.00	\$3.00		
5-12	2012 Electronic Rate Book – Upgrade Purchase (pre-2011)	\$149.00	\$3.00		
	<i>The 2012 Edition of the Electronic Rate Book includes 13,885 radionic rates collected and developed over more than 30 years, a library of 28 pre-formatted worksheets, and full search and sort capabilities. For use with Windows operating systems.</i>				
	Kelly Research Report – Electronic (PDF)	\$9.99/year	N/A		
	Kelly Research Report – One/Two Year Renewal (USA)	\$25.00/\$45.00	N/A		
	Kelly Research Report – One/Two Year Renewal (International)	\$40.00/\$75.00	N/A		
Subtotal					
7% Sales Tax (Georgia only)					
TOTAL ENCLOSED					

**What else can we do for you? Please visit: [www.kellyresearchtech.com](http://www.kellyresearchtech.com).**

**Shipping & Handling:** All shipments travel via UPS Ground or the US Postal Service within the United States. Call or email us for international rates, alternative shipping methods, or for ordering of items not listed on this form. Discounts are often available for combined shipping of multiple items.

Customer Name:		
Company:		
Street Address:		
City:	State:	Zip:
Country:	Telephone:	E-Mail:

**Payment:** All payments must be made using U.S. Funds by check (payable on a U.S. bank), postal money order or credit card. Mail or fax your order to the address noted at the top of this page.

Credit Card Type:	Card Number:
Expiration Date:	Security Code (3 digit code on back of card):
Signature of Authorization:	

**THANK YOU FOR YOUR ORDER!**