

RADIONICS CASE STUDY – “GRAMPS”

Part 1: Replicator Balancing

The following is an example of a real-world case study that was conducted with “Gramps”, an eight-pound cat that we adopted last fall after he was rescued by a local veterinary clinic. He is estimated to be between 14 and 16 years old – literally long in the tooth. Gramps suffers from recurring nasal infections due to extensive damage to the mucus membranes of his interconnected ear, nose and throat passageways, presumably an outcome of his living in the wild for an unknown period of time.



OBJECTIVE: The primary goal of Part 1 of the study was to **conduct a quick energetic balance** of this animal using radionics. A secondary objective was to **utilize the Reverse Phase broadcast capabilities of the Replicator**, which would allow the animal’s own nasal discharge to act as an anti-reagent to any disharmonious energetic conditions. This work was conducted under the on-site supervision of Gramps’ primary veterinarian.

SET UP: The **Replicator** was connected to a **Kelly Personal Instrument**, with leads connecting the blue jacks on the Personal Instrument (marked either “Reaction Plate” or “Output”) to the matching blue jacks on the Replicator (marked “Aux In”). This configuration allowed **easy checking of radionic rates** during all analysis operations. An instant photo of Gramps served as the witness. This was placed in the input well of the personal instrument.



A **56 Phase Array Antenna (7 plate)** was connected to the Replicator’s “Aux Out” jacks for use in all dowsing, as well as to **boost overall broadcast effectiveness**. A desktop collection of reagents was also available for use.

Quick Scan Mini-Analysis

Step 1: **Appropriateness of the overall project was tested** with a photo of Gramps in the input well of the Personal Instrument, Bank 1 turned on and set to “100.00-0.00”, all amplifiers turned off, and the question phrased, *“Is it appropriate to begin this balancing project, thine will be done, no harm to anyone?”* A strong stick was detected on the reaction plate, indicating a solid “Yes”.

Step 2: **The energetic state of the animal was analyzed** in several categories in order to generate a baseline of information and expose any relevant trends. The first two, General Vitality (9.00-49.00) and Reserve Energy (11.00-100.00) were selected analytically. The rest were selected by quickly dowsing for reactions from the “conditions” section of the animal analysis chart as follows:

The photo witness was in the input well of the Personal Instrument, Bank 1 turned on and set to “0.00-100.00”. All amplifiers were turned off. A finger on the left hand slowly scanned down the list of condition names while rubbing for a stick on the reaction plate and phrasing the following question:

“Which energetic conditions are most significantly impacting Gramps at this time?”

When a strong stick was detected, that condition was noted. The intensities of all noted conditions were then analyzed in turn by setting each rate on Bank 1 and taking a reading with the Intensity dial and the reaction plate/antenna. **The result was a mini-analysis of 10 key rates.** The same 10 rates were rechecked during the middle of the balancing program, then again at the end, in order to assess impact.

Reverse Phase Replicator Broadcasts

The secondary goal of the project was to test the impact of the Replicator when utilizing the Reverse Phase Broadcast Mode and the animal's own nasal discharge as an anti-reagent. When placed in this mode, the Replicator captures the subtle energy signatures of whatever samples are placed in the Output well of the unit, then generates a cancellation wave for those signatures by reversing them into an out of phase mode through a secondary amplifier. This neutralizing wave is automatically broadcast back to whatever witness is in the Input well of either the Replicator or a connected Kelly Personal Instrument. For Gramps, this would mean that **the disharmonious energetic patterns of any viruses, toxins, allergens or other poisons found in the nasal discharge could be neutralized simultaneously** without the usual time consuming process of seeking to detect all of them individually through the course of a complete radionic analysis.



Step 1: The photo witness was placed in the input well of the Personal Instrument, A sample of nasal discharge was captured from Gramps on a tissue, placed in a new zip lock baggie and placed in the Output well of the Replicator.

Step 2: Bank 1 turned on and set to "0.00-100.00". The amplifier on the Personal Instrument was activated, then the Phase switch on the Replicator was set to "Reverse". Reagents were added and/or subtracted at this time based on a stick on the reaction plate in response to the question, *"Will this reagent benefit this broadcast at this time, thine will be done, no harm to anyone?"*

Step 3: With both instruments activated as described above, the Replicator's potency dial was then slowly turned while testing for a stick on the reaction plate. As soon as a strong stick was found, the dial was left at that setting. A balancing time was then dowsed by rubbing on the reaction plate while asking questions like *"Is the balancing time greater than five minutes, thine will be done, no harm to anyone? Is it six minutes... seven minutes... eight minutes..."* and so on until a stick was achieved on the plate. The resultant time was set on an egg timer.

Step 4: At the end of the specified time the Replicator was turned off and the potency dial reset to zero. On the Personal Instrument, the amplifier was turned off, all reagents were removed from the Input well, Bank 1 was set to General Vitality (9.00-49.00) and a quick recheck of this rate.

Step 5: Asked the question, "Should this project continue?" while rubbing the reaction plate. A strong stick for "yes" was always detected.

Step 6: Repeated Step 1 through Step 5. A higher position on the Replicator Potency dial was indicated with each repetition of the process, as without fail the Potency dial would no longer register a stick at the previous setting.

RESULTS:

Reverse Phase Replicator Broadcasts

This table summarizes the specific settings, times and reagents used with the Replicator.

Broadcast	Potency Dial Setting	Time (minutes)	Reagents	New GV
1	3c	4	<i>none</i>	375
2	6c	3	<i>none</i>	335
3	12c	6	Epson salts, manganese, sea salt, silica, tap water	350
4	200c	4	Manganese, sea salt, silica, tap water	440
5	M	8	<i>same as above</i>	445
6	10M	13	Rain water, sea salt, silica, tap water	500
7	LM	13	<i>same as above</i>	555
8	CM	15	Rain water, sea salt, tap water	610
9	MM	14	<i>same as above</i>	600
10	10MM	14	<i>same as above</i>	625
Total Time:		94		

Mini-Analysis Comparison

Objective:	Overall energetic balancing using nasal discharge as an anti-reagent.			
Description	Rate	Before 1 st Broadcast	After Broadcast 5	After Broadcast 10
Appropriateness	100.00-0.00	YES	YES	YES
General Vitality	9.00-49.00	375	445	625
Reserve Energy	11.00-100.00	265	290	400
Virus	2.00-100.00	420	320	225
Parasites	19.00-100.00	340	230	75
Toxins	20.00-100.00	280	400	275
Staph	35.00-100.00	300	200	100
Congestion	40.00-100.00	370	315	100
Fungus	45.00-100.00	370	320	150
Toxicity	53.00-100.00	250	240	120
Fungus	85.00-100.00	400	320	130

Comparison of the three mini-analyses revealed positive results in all areas, with increases in both General Vitality and Reserve Energy. Energetic patterns of conditions were consistently decreased in all areas except for one: "Toxins", where the intensity actually spiked upward at the middle broadcast, then dropped back down to the starting point at the end. A stubborn condition that does not respond to general balancing points us toward "the cause behind the cause" – the next step that our radionic research should take. In this case, difficulty dispelling toxins might be resolved with a tune up to the systems that manage the flow of energy through a living system, as found on the "ACES" worksheet.

The ACES worksheet was first introduced as a quick, easy-to-use process for tuning up the energy handling capabilities of a living energy system. The chakra are the pathways by which the universal energy enters the system, then the aura radiates that energy outward. The "elimination" systems are responsible for capture and/or disposal of unwanted and waste energy patterns. A living energy system operates better and more smoothly when these fundamental process are operating well. Energetic balancing in these areas better prepares and equips the living system to take care of itself.