

# ADVANCED RADIONICS: Systematic Pathological Elimination

## Introduction

Everything in the universe is fundamentally composed of vibration and energy. The heart of every atom and the endless motions of the tiny subatomic particles therein are powered by an infinite sea of living energy. The frequencies at which the energy vibrates determine which subatomic particles will manifest in the physical realm we perceive as reality. In this way, each frequency serves as a blueprint of vibratory information - a musical note for every element on the periodical table.

When chemical elements combine to create compounds and alloys, their corresponding patterns of frequency information combine to create harmonic chords and melodies. The energetic strengths of each of those melodies are a factor of the degree of positive and negative harmonic resonance shared between all of the energy patterns present. The more elements that share high positive resonance, the stronger that compound will be. Likewise compounds are weakened by dissonant patterns of information – sour notes that dilute the strength of the music.

The same principles apply to organisms. The stronger the harmonic relationship between the energetic processes in an organism, the stronger the overall health of the organism. Energetic dissonance is introduced by pathologicals, poisons, and toxins. These elements act as sour notes within the symphony of life and can dilute and even overpower the organism. For this reason, systematic elimination of dissonant patterns of information is essential to the overall energetic strength of any organism.

## Step 1: Balance the Organism

Preceding any effort to eliminate dissonant patterns of information should be an overall balancing and tune up of the positive energetic processes. This will prepare the organism for the work of processing and eliminating any pathological or other dissonant patterns of information. A quick tune-up may be achieved using the “ACES” worksheet, which is specifically focused on the Aura, Chakra, Elimination Organs and Supporting Functions. For a more complete tune up, analyze and balance all of the energetic processes found on page 1 of the Animal Analysis worksheet:

1. **Ask for permission** to carry out energetic work on the organism:
  - A. **Zero the instrument:** Set the “Amp” switch to the off position, set both the “Bank 1” and “Bank 2” switches to the off position and set both banks to the “0-0” (null) scalar frequencies using the rate dials.
  - B. **Load the sample well** with the sample, specimen or witness to be analyzed. Be certain that all items placed in the sample well are free of contamination, including the fingerprints of the operator.
  - C. **Set one of the banks to “100.00-0.00”** using the rate dials, then activate that bank by setting the switch to “on”. Unused banks should remain turned off and set to “0-0”.
  - D. **Identify the intensity:** Focus the mind on the question “Do I have permission to carry out energetic work on this organism at this time?” while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked “Intensity”. A measured intensity of 500 or higher indicates energetic work is permitted, while a reading below 500 means this work should not be carried out. **Do not proceed if the answer is “NO”!**

2. **Complete an analysis** of all patterns of information (radionic rates) found on the first page of the Animal Analysis worksheet:

- A. **Zero the instrument:** Set all banks to the "0-0" (null) settings using the rate dials and turn off all bank activation switches.
- B. **Load the sample well** with the sample, specimen or witness to be analyzed. Be certain that all items placed in the sample well are free of contamination, including the fingerprints of the operator.
- C. **Set the first rate** on the Animal Analysis worksheet on one bank of frequency dials, then activate that bank by setting the switch to "ON". Unused banks should remain turned off and set to "0-0".
- D. **Identify the intensity:** Focus the mind on the question at hand ("What is the strength of XYZ in organism ABC?") while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked "Intensity". Multiple resonance points or "sticks" of varying intensities may be observed; recorded the strongest of these for the pattern of information being evaluated.
- E. **Record the strongest resonance point** found on the intensity dial. This is the relative energetic strength of that pattern of information.
- F. **Repeat this process** for all rates listed on the worksheet.

3. **Balance the organism** by broadcasting on those radionic rates whose strongest intensities were measured to be 50 or more points lower than the intensity measured for General Vitality (GV=9.00-49.00). The goal is to raise the weaker rates to be equal to GV.

- A. **Set the weak rate** on one of the banks, then activate that bank by setting the switch to "on". In many cases additional weak rates may be set on any unused banks on the instrument and any connected Tuning Stations in order to reduce the amount of time necessary to complete all balancing.
- B. **Activate the broadcast circuit** on the instrument.
- C. **Identify the broadcast time:** Focus the mind on the question "For how many minutes should this broadcast take place in order to balance these patterns of information with no unintended outcomes?" while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked "Intensity". The strongest resonance point detected is the appropriate broadcast time and is read as minutes on the dial. In the event that the strongest point of resonance is found at the maximum reading on the intensity dial, return the dial to zero and rephrase the question, substituting "hours" instead of "minutes".
- D. **Add any reagents** and test for desirability by rechecking broadcast time. A helpful reagent will reduce the amount of time required to balance the pattern(s) of information set on the instrument.
- E. **Check for permission** to make the broadcast by setting the intensity dial back to zero, then asking the question, "Is this an appropriate broadcast to make at this time?" while rubbing the reaction plate. A stick will indicate a "yes" while a lack of stick will indicate "no".  
*Note: Since overall permission was granted at the beginning of the project, a reading of "no" on a particular broadcast indicate a problem with the broadcast time, the selected reagents, or the combination of rates set on multiple banks. Try repeating the question without reagents or with one rate bank active at a time until the conflict is identified.*
- F. **Broadcast** for the time indicated, then turn off the amplification circuit and re-check the intensity for each rate set. Do not overbalance!
- G. **Record** the new intensities for every pattern of information that was balanced.

## Step 2: Identify and Eliminate Dissonant Patterns of Information

Page 2 of the Animal Analysis worksheet is dedicated to those patterns of information that create dissonance with an organism: diseases, poisons, toxins, and other negative factors. Elimination of these sour notes is essential to any effort to increase the overall energetic strength of an organism.

1. **Complete an analysis** of all pathological patterns of information found on page 2 of the Animal Analysis worksheet using the same analysis techniques described on the previous page; load the sample well, set the pathological rate, identify the intensity of the strongest resonance point, and record the results. As always, analysis must be conducted one rate at a time.

2. **Broadcast to reduce weak pathological patterns of information.** Traditionally patterns of information with intensities between 0-100 are said to exist only in the energetic realm, while readings of 100 to 200 are believed to be making a transition from the energetic to the physical – the “kindling” phase. Patterns of information with intensities measured *above* 200 are believed to have a tangible presence within the physical plane that should be detectable by mainstream laboratory techniques. The goal of this step is to balance away those negative patterns that are less deeply rooted in the physical realm – those rates observed to have a reading of **200 or less** on the Intensity dial.

- A. **Set the pathological rate** on one of the banks, then activate that bank by setting the switch to “on”. In many cases additional dissonant patterns of information may be set on any unused banks on the instrument and any connected Tuning Stations in order to reduce the amount of time necessary to complete all balancing.
- B. **Activate the broadcast circuit** on the instrument.
- C. **Identify the broadcast time:** Focus the mind on the question “For how many minutes should this broadcast take place in order to eliminate these patterns of information with no unintended outcomes?” while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked “Intensity”. The strongest resonance point detected is the appropriate broadcast time and is read as minutes on the dial. In the event that the strongest point of resonance is found at the maximum reading on the intensity dial, return the dial to zero and rephrase the question, substituting “hours” instead of “minutes”.
- D. **Add any reagents** and test for desirability by rechecking broadcast time. A helpful reagent will reduce the amount of time required to balance the pattern(s) of information set on the instrument.
- E. **Check for permission** to make the broadcast by setting the intensity dial back to zero, then asking the question, “Is this an appropriate broadcast to make at this time?” while rubbing the reaction plate. A stick will indicate a “yes” while a lack of stick will indicate “no”.


***Note:** Since overall permission was granted at the beginning of the project, a reading of “no” on a particular broadcast indicate a conflict with the broadcast time, the selected reagents, or the combination of rates set on multiple banks. Try repeating the question without reagents or with one rate bank active at a time until the conflict is identified.*

- F. **Broadcast for the time indicated**, then turn off the amplification circuit and re-check the intensity for each rate set. Do not overbalance!
- G. **Record the new intensities** for every pattern of information that was balanced.
- H. **Repeat this process** for all of the weaker patterns of information.

3. **Systematically locate all instances of strong pathological patterns of information.** The goal of this step is to balance away all patterns of information whose energetic strengths were observed to have a reading of **greater than 200** on the Intensity dial. In order to do so, rather than simply broadcast on the dissonant rate, the researcher will search for every location within the organism where the negative pattern of information may be found, then eliminate each individually.

- A. **Set the strong pathological rate** on one of the banks, then activate that bank by setting the switch to "on". This setting indicates the presence of the dissonant patterns of information in the entire organism – the whole body.
- B. **Search for specific locations** in which the negative pattern of information has taken root. This process varies slightly depending on the form of the rate.

- a. **If the rate has the form "X – 100.00"**: In this situation the left hand dial is set to some number and the right hand dial set to "100.00". Because the setting "100.00" on the right hand dial always indicates the whole of the organism, the researcher may scan on this dial to find specific locations within that organism. Slowly turn the right hand dial counterclockwise away from "100.00" until a resonance point is detected on the reaction plate/antenna. Stop at that point, take a reading on the Intensity dial, and record both the setting (location) and the intensity. Repeat this process as many times as is necessary by continuing to scan on the right hand dial until every resonance point is found for the condition set on the left hand dial.



**Example:**

*When completing an analysis using page two of the Animal Analysis worksheet, the researcher detects an energetic strength of 450 on the Intensity dial for the rate 20.00-100.00, which is described as "Toxins". This tells us the total strength of that negative pattern of information within the entire organism.*

*Next the researcher searches for each of the specific locations within the organism where the "Toxins" pattern of information has taken root. Scanning all the way around the right hand dial reveals the following:*

Instrument Bank	Location	Rate	Intensity
Bank 1	Whole Organism	20.00 – 100.00	450
Bank 1	#1	20.00 – 87.50	220
Bank 1	#2	20.00 – 74.25	300
Bank 1	#3	20.00 – 48.00	175
Bank 1	#4	20.00 – 21.50	210
Bank 1	#5	20.00 – 3.00	265

*These results indicate the pattern of information described as "Toxins" is located at five specific locations in the organism. Some are stronger than others, but **all** should be eliminated by broadcasting as described in Step C below. Note that all scanning was conducted on Bank 1 of the radionic instrument.*

- b. **If the rate has the form "X – Y":** In this case the right hand dial is not set to "100.00". As such, the researcher does not have the convenience of working with a rate whose right hand dial setting indicates the entire organism - both dials are uniquely set to describe a specific negative pattern of information. In this case the researcher must turn on a second bank on the instrument and set it to "0.00-100.00". With both banks turned on and the first bank unchanged, slowly scan counterclockwise on the right hand dial on Bank 2 - the dial originally set at "100.00" - until a resonance point is detected on the reaction plate/antenna. Stop at that point, take a reading on the Intensity dial, and record both the location on the right dial of Bank 2 and the intensity. Repeat this process as many times as is necessary by continuing to scan on the right hand dial on Bank 2 until every resonance point is found for the condition set on both dials of Bank 1.

**Example:**

*When completing an analysis using page two of the Animal Analysis worksheet, the researcher detects an energetic strength of 380 on the Intensity dial for the rate 49.25-49.25, which is described as "Poison in Chemical". This tells us the total strength of that negative pattern of information within the entire organism.*

*Next the researcher searches for each of the specific locations within the organism where the "Poison in Chemical" pattern of information has taken root. Because Bank 1 is used to describe "Poison in Chemical", scanning is conducted on Bank 2.*

*Scanning all the way around the right hand dial reveals the following:*

Instrument Bank	Location	Rate	Intensity
Bank 1	Whole Organism	49.25 - 49.25	380
Bank 2	#1	00.00 – 93.00	320
Bank 2	#2	00.00 – 82.50	100
Bank 2	#3	00.00 – 34.25	240
Bank 2	#4	00.00 – 16.00	180

*These results indicate the pattern of information described as "Poison in Chemical" has been located at four specific locations in the organism. Some are stronger than others, but **all** should be eliminated by broadcasting as described in Step C below. Note that Bank 1 remained set to "49.25-49.25" while all scanning was conducted on Bank 2 of the radionic instrument. Likewise when broadcasting to eliminate Bank 1 will be set to "49.25-49.25" while Bank 2 will be set to "0.00-93.00", Bank 3 will be set to "0.00-82.50", and so on.*

- C. **Broadcast to eliminate all pathological patterns** found by setting the instrument to the specific locations detected. If multiple rate banks are available on the instrument, in many cases multiple locations may be balanced at the same time by setting each bank to a different location. However, *note that in the case of the second example every broadcast will utilize at least two banks. Broadcasting on more than one at a time will require the use of a three bank instrument or the addition of a Tuning Station to the circuit.*

- D. **Activate the broadcast circuit** for your instrument.

- E. **Identify the broadcast time:** Focus the mind on the question “For how many minutes should this broadcast take place in order to balance these patterns of information with no unintended outcomes?” while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked “Intensity”. The strongest resonance point detected is the appropriate broadcast time and is read as minutes on the dial. In the event that the strongest point of resonance is found at the maximum reading on the intensity dial, return the dial to zero and rephrase the question, substituting “hours” instead of “minutes”.
- F. **Add any reagents** and test for desirability by rechecking broadcast time. A helpful reagent will reduce the amount of time required to balance the pattern(s) of information set on the instrument.
- G. **Check for permission** to make the broadcast by setting the intensity dial back to zero, then asking the question, “Is this an appropriate broadcast to make at this time?” while rubbing the reaction plate. A stick will indicate a “yes” while a lack of stick will indicate “no”.  
*Note: Since overall permission was granted at the beginning of the project, a reading of “no” on a particular broadcast indicate a conflict with the broadcast time, the selected reagents, or the combination of rates set on multiple banks. Try repeating the question without reagents or with one rate bank active at a time until the problem is identified.*
- H. **Broadcast** for the time indicated, then turn off the amplification circuit and recheck the intensity for each rate set. Do not overbalance!
- I. **Record** each new intensity found.
- J. **Recheck the intensity of the “whole organism” rate.** In every case the researcher will find that after reducing or eliminating the negative patterns of information in each specific location, the “whole organism” rate will also be significantly reduced *even though the whole organism rate was never balanced directly.*
- K. **Repeat the entire process** until all strong pathological patterns of information have been identified and eliminated.

### Step 3: Search the Auric Bodies

The aura is the energy field that surrounds every organism. The living energy of the universe enters the organism through the chakra, illuminates the physical form, then radiates outward like the light shining through a lampshade. The aura has multiple layers, each associated with a particular chakra. It is possible for dissonant patterns of information to take root within any of the layers of the aura. Systematic elimination of these pathological processes will include completion of the following process.

- A. **Balance the aura** by completing the Aura Balancing worksheet. This process will include improving aura coordination, eliminating aura distortion, balancing the auric bodies, and repairing/sealing any holes or tears.
- B. **Search each of the auric bodies** for the negative pattern of information as follows:
  - a. **Set the pathological rate** on one of the banks, and then activate that bank by setting the switch to “on”. This setting indicates the presence of the dissonant patterns of information in the entire organism – the whole body.
  - b. **Set the rate for the auric body** on a second bank on the instrument and then activate that bank by setting the switch to “on”. The rates for the auric bodies are as follows:

<u>Auric Body</u>	<u>Radionic Rate</u>
1. Celestial/Causal	17.50-58.00
2. Mental	48.00-27.00
3. Astral III	68.00-37.00
4. Astral II	87.00-69.00
5. Astral I	25.00-47.00
6. Etheric	49.00-57.00
7. Physical	68.00-49.00

- c. **Identify the intensity:** Focus the mind on the question at hand (“What is the strength of XYZ in this auric body?”) while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the Intensity dial. Multiple resonance points or “sticks” of varying intensities may be observed; recorded the strongest of these for the pattern of information being evaluated.
- d. **Record the strongest resonance point** found on the intensity dial. This is the energetic strength of the negative pattern of information within that auric body.
- e. **Repeat this process** by searching for the pathological patterns of information in all seven auric bodies.

C. **Broadcast to eliminate pathological patterns** found in the auric bodies:

- a. **Set the pathological rate** on one of the banks, and then activate that bank by setting the switch to “on”. This setting indicates the presence of the dissonant patterns of information in the entire organism – the whole body.
- b. **Set the rate for the auric body** on a second bank on the instrument and then activate that bank by setting the switch to “on”.
- c. **Activate the broadcast circuit** for your instrument.
- d. **Identify the broadcast time:** Focus the mind on the question “For how many minutes should this broadcast take place in order to eliminate these patterns of information with no unintended outcomes?” while lightly rubbing dry fingers across the surface of the reaction plate/antenna and slowly turning the dial marked “Intensity”. The strongest resonance point detected is the appropriate broadcast time and is read as minutes on the dial.
- e. **Add any reagents** and test for desirability by rechecking broadcast time. A helpful reagent will reduce the amount of time required to eliminate the pathological pattern of information from the auric body.
- f. **Check for permission** to make the broadcast by setting the intensity dial back to zero, then asking the question, “Is this an appropriate broadcast to make at this time?” while rubbing the reaction plate. A stick will indicate a “yes” while a lack of stick will indicate “no”.  
*Note: A reading of “no” probably indicates a conflict with the broadcast time, the selected reagents, or the combination of rates set on multiple banks. Try repeating the question without reagents or with one rate bank active at a time until the problem is identified.*
- g. **Broadcast** for the time indicated, then turn off the amplification circuit and re-check the intensity of the combination of the pathological and auric body rates. Do not overbalance!
- h. **Record** the new intensity found.
- i. **Repeat the entire process** until all pathological patterns of information have been eliminated from the auric bodies.

#### Step 4: Consider the Physical Realm

The energetic and physical realms are coexisting facets of life – every organism is defined by both the physical body and also the spirit of living energy that inhabits that body. Much of the appeal of radionics is the ability to take action in the energetic realm in an effort to create change in the physical realm. However, in many cases the fastest, easiest and most direct impact will come from taking action in the physical.

An example of this concept is illustrated by Gramps, a cat that we own. Analysis of this cat's energetic state revealed a high level of the pattern of information associated with fungus (45.00-100.00). While completing all of the steps and processes previously described would successfully reduce the fungal pattern of information to zero, within a few weeks the fungus would reappear.



Rather than just carry out the broadcast over and over, a search of the physical realm was conducted for a fungal problem. Eventually a piece of wood was found in the crawlspace of the house that was covered with a thick coat of mold. After this rotten lumber was removed, the radionic process was repeated once again. Fungal patterns of information were reduced to zero and have remained there for months.



#### Conclusion

Systematic elimination of pathological patterns of information is essential to increasing the overall strength of the organism. The processes described above facilitate identification of negative and dissonant patterns whether they are located within the organism, the aura, or in the physical environment in which that organism resides.

---

---

## All You Need Is Love: Part 2

This just in from our friend Marty Lucas over at Every Advantage Consulting.

Ed,

This week has shown me some very cool results. Based upon the idea that all organisms crave love, I have been broadcasting Unconditional Love (33.00-33.50) before I do any other broadcasting. When I do that the defenses drop and balancing times are cut at least in half.

When I applied this approach to a two-legged animal, his adult son told me that for the first time in his life his father told him that he loved him. How cool is that?

My original idea was to add the Love frequencies as another bank to my broadcasts, but that has not been necessary. Although, I do need to send Love out every couple of hours in order to keep the defenses down.

Marty

---

Marty will teach *Beginners Radionics* in Des Moines on November 7 - 9, immediately preceding the intermediate level *2<sup>nd</sup> Annual Pat Schmidt Reunion Class* on November 10 - 11. Call Marty at 515-270-2300 for more information on either event.